

*Micronesica* 29(1): 49–98, 1996

## A Revised Checklist of the Benthic Marine Algae of the Fiji Islands, South Pacific (Including the Island of Rotuma)

ANTOINE D. R. N'YEURT,<sup>1</sup> G. ROBIN SOUTH<sup>1</sup>

*Marine Studies Programme,  
The University of the South Pacific,  
P.O. Box 1168, Suva, Fiji*

and

D. W. KEATS<sup>2</sup>

*Botany Department, University of the Western Cape,  
P. Bag X17, Bellville 7535, South Africa*

**Abstract**—A revised checklist of 422 taxa of benthic marine algae is provided for the Fiji Islands, South Pacific, including the island of Rotuma. The list comprises 39 Cyanophyceae, 113 Chlorophyceae, 42 Phaeophyceae and 228 Rhodophyceae. Included are all previously published records and some yet unpublished additions, with the systematic arrangement and nomenclature brought up to date. A preliminary revision of the crustose coralline algae known from Fiji is included. The flora still remains relatively poorly known, and many areas have yet to be phylogenetically studied, such as much of the Lau Group, and most of Vanua Levu.

### Introduction

This is the first revision of the preliminary checklist of the benthic marine algae of the Fiji Islands (South & Kasahara, 1992). The list has been corrected and expanded to include records from a detailed survey of the shallow water algae of the island of Rotuma (N'Yeurt 1993a, b, 1996), published additions to the flora since 1992 (South 1992, 1993, Raj 1993; South & N'Yeurt 1993; South et al. 1993; N'Yeurt et al. 1995, 1996), numerous new records currently unpublished and housed in the South Pacific Regional Herbarium (SUVA), and the results of a detailed investigation of crustose coralline algae by D. W. Keats. The principal records from the coralline survey are included here prior to more comprehensive publications in preparation (Keats, unpubl.). This updated list records 422 taxa, a more than thirty-four percent increase over the 1992 list of 314 taxa (South & Kasahara, 1992).

<sup>1</sup> Corresponding authors.

<sup>2</sup> Keats contributed non-geniculate Corallinales.

The Fiji Islands occupy a central position in Oceania, spanning the 180<sup>th</sup> meridian and lying between 177° E and 178° W, and 16° S to 20° S (Fig. 1). A land area of some 18, 276 km<sup>2</sup> is scattered over 332 islands, occupying 260, 000 km<sup>2</sup> of ocean (Fig. 1). There are four main islands in the group, Viti Levu, Vanua Levu, Taveuni and Kadavu, and three smaller island groups, the Yasawas, the Lomaiviti Group and the Lau Group. The small island of Rotuma is isolated from the rest of the Fiji group, some 465 km north of Viti Levu. Most of the islands are high islands of volcanic origin, although some low atolls are found in the east in the Lau Group. The islands are surrounded by barrier reefs, and there are many patch reefs throughout; the most significant barrier reef is the Great Astrolabe Reef, which occurs around the Kadavu islands. The climate is tropical, with mean monthly air temperatures ranging from 23–26° C and sea surface temperatures ranging from 24–28° C.

Despite the strategic position of the Fiji Islands, and their history of early exploration and colonial rule, there have been very few studies of the benthic marine algae. The earliest algal reports are those of Grunow (1874), Dickie (1876) and Askenasy (1888). Grunow (1874) described collections made by Dr. Graeffe, mainly on Ovalau Island to the east of Viti Levu, the location of the early colonial capital of Fiji. He listed 7 species of Phaeophyta (including 4 varieties) and 30 species of Rhodophyta (including 6 varieties); a total of 13 new species was included. Dickie (1876) listed nine species, including four new records for Fiji, based on collections made by Mr. Mosely, again at Ovalau, from Levuka Harbour. The list included three Chlorophyta, 4 Phaeophyta and 2 Rhodophyta. An additional ten new records were published by Askenasy (1888). His collections were made at Matuku Island during the H.M.S. "Gazelle" Expeditions. He described 6 new species, and listed a total of five Chlorophyta, one Phaeophyta and four Rhodophyta.

It was not until almost a century after these early records that additions to the known flora of Fiji were made by Chapman (1971), who published a checklist of 79 species from Fiji, including 48 new records. The collections that formed the basis of this checklist were part of a larger programme to study the biogeographical distribution of marine algae from the Kermadec Islands (New Zealand) through to Fiji, Tonga, the Cook Islands and Samoa. The Fiji collections were made by Dromgoole and Darby in 1966, mainly around Suva and on the south coast of Viti Levu Island, by Chapman from all the coasts of Viti Levu, and by Devombez, who collected around Suva. Chapman's list included a total of 2 Cyanophyta, 41 Chlorophyta (including 7 varieties), 19 Phaeophyta (including 4 varieties) and 17 Rhodophyta. Chapman added an additional 17 species to this list in 1977, based on collections made by Dr. Carlson.

Following from Chapman (1971, 1977) further additions to the Fijian algal flora were published by Kapraun & Bowden (1978), based on collections made by Bowden in 1975. A total of 43 new records were included, from collections made in Suva and Laucala Bay of Viti Levu, from Moala Island, Vanuabalavu Island, Rabi Island and Savusavu on Vanua Levu Island. Included in their list were 12 Chlorophyta, five Phaeophyta and 26 Rhodophyta. MacRaild (1978)

summarized the early history of algal collecting in Fiji, and discussed some biogeographic and ecological aspects of the flora.

In his M.Sc. thesis Kasahara (1985) reported on collections of benthic marine algae of Viti Levu and Dravuni Island (Kadavu, Great Astrolabe Lagoon). The collections had been made during two Kagoshima-Maru Expeditions to Fiji in 1982, as part of a scientific survey of the South Pacific by Kagoshima University (Enomoto & Ajisaka 1983, Itono & Ajisaka 1984). Collections were made by Dr. Hiroshi Itono and Dr. Tetsuru Ajisaka in January, and by Dr. Sachito Enomoto and Dr. Ajisaka in November. Three stations were studied, at the Suva Reef, around Sigatoka and around Dravuni Island, Great Astrolabe Lagoon. Ajisaka and Enomoto (1985) subsequently published an account of *Dictyota* species from Fiji and Solomon Islands, and Itono (1985a, b) published an account of *Galaxaura* species, and a description of a new species of *Rhodolachne* (Rhodophyta, Rhodomelaceae). In 1984, Kraft described the Rhodophyte *Callophycus serratus* from Fiji. Kasahara (1985) provided a list of all previously reported Chlorophyta and Rhodophyta from Fiji, and reported on a total of 76 Chlorophyta and Rhodophyta, including 37 new records. Four previously undescribed species were included in his report, although not formally published. Kasahara (1985) illustrated the majority of the species included in his study. He later (1988) described much more extensive collections that he made during a visit to Fiji in 1985. During this visit he collected from a total of 26 stations, between September 9th and October 29th. In his 1988 report he listed a total of 43 Chlorophyta, and provided photographs and drawings of the majority.

Garbary et al. (1991) gave numerous new distribution records of Fijian algae, based on collections made in August 1980, August 1981 and February 1982. A total of 82 species is included (9 Cyanophyta; 15 Chlorophyta; 10 Phaeophyta and 48 Rhodophyta). G.R. South (1991) reported on the marine algae of Dravuni Island, Kadavu, listing a total of seventy-one species, five of which were new records for Fiji. Later (1992), the same author published an illustrated catalogue of the *Halimeda* species reported from Fiji, and in 1993 reported on the edible seaweeds of Fiji. The most recent additions to the Fiji flora are those of South et al. (1993), South & N'Yeurt (1993) and N'Yeurt et al. (1995). N'Yeurt (1993a, b) contributed the first algal records from the remote island of Rotuma ( $12^{\circ} 30' S$ ,  $177^{\circ} 05' E$ ), and has described a new species of *Avrainvillea* (N'Yeurt et al. 1996).

During the past three years Mark and Diane Littler (unpublished) have undertaken a major survey of the benthic marine algae of the Great Astrolabe Lagoon, Kadavu. Numerous new records for Fiji are anticipated from this work, as well as many species new to science. The results of this work will be published in due course. During 1994 one of us (D. W. Keats) made extensive collections of crustose coralline algae, principally from the Suva barrier reef, and the Great Astrolabe Reef. A preliminary listing of those species fully identified appears in this list. This group is under study at present, and more species are likely to be added in the near future. Some non-coralline algae collected by D. W. Keats, M. Knight and A. Ballou were identified by one of us (A. D. R. N'Yeurt), and appear in this list.





Figure 1. Map of the Fiji Islands (Rotuma inset), showing the main sites (numbered) where algal collections have been made. Names of principal collectors are given; collections given as *in Herb.* I. A. Abbott were made variously by D. P. Abbott, N. L. Nicholson and R. Phillips. Chapman, as well as Drongoole and Darby (reported in Chapman, 1971) made collections at various sites around Viti Levu (sites not specified in Chapman, 1971). 1. Yasawa-i-rara *Garbarry* 1982 (Garbarry et al. 1991); 2. Sawa-i-lau *Garbarry* 1982 (Garbarry et al. 1991); 3. Nanuya levu *Carlson* 1972 (Chapman, 1977); 4. Nanuya lailai *Villeneuve* 1982 (Garbarry et al. 1991); 5. Nauvacuvu *Villeneuve* 1982 (Garbarry et al. 1991); 6. Yanuya Island *Carlson* 1972 (Chapman, 1977); 7. Plantation Resort, Mamanuha Islands *D. and D. Garbarry*, 1981 (Garbarry et al. 1991); 8. Beachcomber Resort, off Lautoka *Villeneuve* 1982 (Garbarry et al. 1991); 9. Lautoka *D. and D. Garbarry*, 1981 (Garbarry et al. 1991); 10. Regent Hotel *D. and D. Garbarry* 1981 (Garbarry et al. 1991); 11. Sea Shell Resort *D. and D. Garbarry* 1981 (Garbarry et al. 1991); 12. Sigatoka and district *In Herb. I. A. Abbott (UH)* 1973; *Ajisaka and Enomoto* 1982; *Kasahara* 1985 (Kasahara, 1985; 1988); 13. Korolevu *R. F. and C. Scagel* 1981; *D. and D. Garbarry* 1981; *Villeneuve* 1982 (Garbarry et al. 1991); 14. Vatulele *Carlson* 1972 (Chapman, 1977); 15. Namainamada *D. and D. Garbarry* 1981 (Garbarry et al. 1991); 16. Nanuira *Villeneuve* 1982 (Garbarry et al. 1991); 17. Rakiraki and district *Kasahara* 1985 (Kasahara, 1988); 18. Namara Island, Great Astrolabe Lagoon *Carlson* 1972 (Chapman, 1977); 19. Dravuni Island, Great Astrolabe Lagoon *Ajisaka and Itono* 1982 (Kasahara, 1985); 20. Suva and district *Drongoole and Darby* 1966; *Chapman* 1967; *Devombez* 1967; *Carlson* 1972; *Bowden* 1975; *Ajisaka, Enomoto and Itono* 1982; *In Herb. I. A. Abbott (UH)*; (Chapman 1971, 1977; Kapraun & Bowden, 1978; Kasahara, 1985); 21. Various stations in Eastern Viti Levu *Carlson* 1972; *Kasahara* 1985; (Chapman, 1977; Kasahara, 1988); 22. Various stations on Ovalau *Graeffe* 1870s; *Moseley* 1870s (Grunow, 1874; Dickie, 1876); 23. Savusavu *Bowden* 1975; *In Herb. I. A. Abbott (UH)*; *Villeneuve* 1982 (Kapraun & Bowden, 1978; Garbarry et al. 1991); 24. Rabi Island *Bowden* 1975 (Kapraun & Bowden 1978); 25. Various stations around Taveuni Island *Villeneuve* 1982 (Garbarry et al. 1991); 26. Moala Island *Bowden* 1975 (Kapraun & Bowden 1978); 27. Matuku Island *H.M.S. Gazelle Expedition* (Askenasy 1888); 28. Vanua Balavu *Bowden* 1975 (Kapraun & Bowden 1978).

With the development of seaweed aquaculture in Fiji, a number of publications have appeared on the subject, principally focusing on *Eucheuma* (Booth et al. 1983, Luxton et al. 1987, Prakash 1990, Foscarini & Prakash 1990, Ram 1991, Eldredge 1994). Singh et al. (1975) carried out a study of the nutritional value of some Fijian seaweeds.

In his overview of the shore ecology of the tropical Pacific, Morton (1990) describes many Fijian shores, and includes an overview of seaweed ecology and zonation. While potentially useful, this publication unfortunately includes many typographical, factual and nomenclatural errors.

One of the greatest difficulties of working with tropical Pacific marine algae is the lack of suitable floras; there is a need to refer to widely scattered literature and, for many species, there is a lack of adequate illustrations. The collections on which this checklist were based are widely scattered in herbaria in the northern hemisphere, or in New Zealand (AKU; Chapman). Some Fijian collections are housed in Dr. I. A. Abbott's personal herbarium (UH) and were reviewed in preparation of this list. Collections housed in the Bernice P. Bishop Museum Herbarium (BISH, collectors: Smith 1934, 1947, Greenwood 1941, Doty 1952, Newhouse 1952, Kondo 1968, Abbott et al. 1973, Booth 1975, 1977, Nicholson 1978) have also been examined by one of us (A. D. R. N'Yeurt), and those of Garbary et al. (1991) housed at UBC have been reviewed (G. R. South). H. Kasahara deposited a duplicate set of his Fijian collections at the Institute of Marine Resources, University of the South Pacific, and these are now housed in the South Pacific Regional Herbarium (SUVA; algae designated as USP). Some of the collections made by Carlson in 1972 and 1973, and reported in Chapman (1977), are also housed in the South Pacific Regional Herbarium.

### Checklist of Benthic Marine Algae of Fiji (Including Rotuma)

#### ARRANGEMENT OF THE LIST

The main purpose of the list is to provide an updated working basis for continuing taxonomic, floristic and biogeographical studies of Fijian algae. Some essential notes are included and where possible an attempt has been made to employ the most recent nomenclature. The lists of Tsuda & Wray (1977) and Tsuda (1981) have been indispensable references. Unless stated otherwise, nomenclature used here follows Silva et al. (1987).

Genera are listed alphabetically within each family, and species are listed alphabetically within each genus. Brief nomenclatural or taxonomic notes are given where required, and a list of the source references follows each taxon. The distribution of known collecting sites within Fiji and Rotuma is shown (Fig. 1); since some authors do not state details of collecting sites, however, a complete distributional record of each species cannot be given until an examination of voucher specimens, particularly for the species listed in Chapman (1971, 1977), has been completed. In the longer-term, it will also be necessary to verify older records of algae from Fiji in the light of modern treatments. In the following list,

unpublished records are given with their respective herbarium accession numbers and collection data. Numbers preceded by "S" refer to slide collections.

SYSTEMATIC LIST

**CYANOPHYCEAE**

**CHROOCOCCALES**

**Chroococcaceae**

**Aphanocapsa** Nägeli

A. sp.

N'Yeurt (1993a, b), South et al. (1993)

**Gomphosphaeria** Kützing

G. sp.

N'Yeurt (1993a, b), South et al. (1993)

**Entophysalidaceae**

**Entophysalis** Kützing

E. sp.

N'Yeurt (1993a, b), South et al. (1993)

**PLEUROCAPSALES**

**Hyellaceae**

**Pleurocapsa** Thuret ex Hauck

P. sp.

N'Yeurt (1993a, b), South et al. (1993)

**Dermocarpa** P. Crouan et H. Crouan

D. sp.

N'Yeurt (1993a, b), South et al. (1993)

**Oncobrysa** Meneghini

O. sp.

N'Yeurt (1993a, b), South et al. (1993)

**CHAMAESIPHONALES**

**Chamaesiphonaceae**

**Chamaesiphon** A. Braun et Grunow

C. sp.

N'Yeurt (1993a, b), South et al. (1993)

**Siphononemataceae**

**Siphononema** Geitler

S. polonicum Geitler

N'Yeurt (1993a, b), South et al. (1993)

## NOSTOCALES

## Nostocaceae

**Anabaena** Bory de St. Vincent

A. sp.

N'Yeurt (1993a, b), South et al. (1993)

**Hormothamnium** Grunow

H. enteromorphoides Grunow

In Herb. South Pacific Regional Herbarium, Suva [Faloona, 22nd Oct., 1993,  
Suva Lagoon: USP S10: 17]

H. solutum Bornet et Grunow

Garbary et al. (1991)

## Oscillatoriaceae

**Lyngbya** C. Agardh

L. aestuarii (Mertens) Lieberman

N'Yeurt (1993a, b), South et al. (1993)

L. confervoides C. Agardh

Garbary et al. (1991)

L. epiphytica Hieron

South (1991), N'Yeurt (1993a, b)

L. lutea (C. Agardh) J. E. Areschoug

Garbary et al. (1991)

L. majuscula (Dillwyn) Harvey

Askenasy (1888), Chapman (1971), Garbary et al. (1991), South (1991),  
N'Yeurt (1993a, b)

**Microcoleus** Desmazières

M. chthonoplastes (Mertens) Zanardini

South (1991)

M. lyngbyaceus Kützing

Garbary et al. (1991)

**Oscillatoria** Vaucher

O. sp.

South (1991), N'Yeurt (1993a, b), South et al. (1993)

**Phormidium** Kützing

P. sp. aff. P. neevearum Grunow

South (1991)

**Schizothrix** Kützing

S. sp.

N'Yeurt (1993a, b), South et al. (1993)

**Spirulina** Turpin

S. subsalsa Oersted

Garbary et al. (1991)

S. subtilissima Kützing

N'Yeurt (1993a, b), South et al. (1993)

- S. tenerrima** Kützing  
 N'Yeurt (1993a, b), South et al. (1993)
- Symploca** Kützing  
**S. sp.**  
 N'Yeurt (1993a, b), South et al. (1993)
- S. muscorum** (C. Agardh) Gomont  
 Garbary et al. (1991)

### Microchaetaceae

- Microchaete** Askenasy  
**M. vitiensis** Askenasy  
 Askenasy (1888), Chapman (1971)

### Rivulariaceae

- Calothrix** C. Agardh  
**C. sp.**  
 South (1991), N'Yeurt (1993a, b), South et al. (1993)
- C. crustacea** Thuret  
 Garbary et al. (1991)
- C. pilosa** Harvey  
 South (1991)
- Homoeothrix** (Thuret) Kirchner  
**H. sp.**  
 N'Yeurt (1993a, b), South et al. (1993)

### Scytonemataceae

- Fremyella** de Toni  
**F. vitiensis** (Askenasy) de Toni  
 [cf. Umezaki (1961:89) = *Microchaete vitiensis* Askenasy in Bornet & Flahault (1888)]
- Kyrtuthrix** Ercegovici  
**K. maculans** (Gomont) Umezaki  
*In Herb.* South Pacific Regional Herbarium, Suva; [South, 21st Apr., 1992,  
 Suva Lagoon: USP 593, S8:2]
- Plectonema** Thuret  
**P. sp.**  
 N'Yeurt (1993a, b), South et al. (1993)
- Scytonema**  
**S. hofman-bangii** C. Agardh  
 Garbary et al. (1991)
- Tolypothrix** Kützing  
**T. sp.**  
 N'Yeurt (1993a, b), South et al. (1993)
- T. byssoides** (Berkeley) Kirchner  
 Garbary et al. (1991)

**STIGONEMATALES**  
**Mastigocladaceae**

**Brachytrichia** Zanardini

*B. quoyi* (C. Agardh) Bornet et Flahault  
Garbary et al. (1991)

**CHLOROPHYCEAE**  
**CTENOCLADALES**  
**Ulvellaceae**

**Acrochaete** N. Pringsheim

*A. viridis* (Reinke) Nielsen  
Garbary et al. (1991)

**Phaeophila** Hauck

*P. dendroides* (P. Crouan et H. Crouan) Batters  
South et al. (1993:179, fig. 2)

**ULVALES**  
**Ulvaceae**

**Enteromorpha** Link in Nees

*E. clathrata* (Roth) Greville  
Kapraun & Bowden (1978)  
*E. compressa* (Linnaeus) Nees  
Kasahara (1988)

*E. flexuosa* (Wulfen) J. Agardh  
Kapraun & Bowden (1978), N'Yeurt (1993a, b, 1996), South et al. (1993)  
*E. flexuosa* (Wulfen) J. Agardh subsp. *paradoxa* (C. Agardh) Bliding  
*In Herb.* South Pacific Regional Herbarium, Suva [South, 18 Nov., 1990,  
Laucala Bay: USP 632]

*In Herb.* Bernice P. Bishop Museum, Hawaii [Smith, 22–26 Feb., 1934, “Fu-  
langa”: BISH 546410 (As *E. plumosa* Kützing; see Silva et al. 1987: 92)]

*E. intestinalis* (Linnaeus) Nees  
Chapman (1971)

*E. lingulata* J. Agardh  
Kapraun & Bowden (1978)

*E. linza* (Linnaeus) J. Agardh  
Kasahara (1985)

*E. multiramosa* Bliding  
Kapraun & Bowden (1978)

*E. prolifera* (O. F. Müller) J. Agardh  
Chapman (1971), Kasahara (1988), South (1991)

**Ulva** Linnaeus

*U. lactuca* Linnaeus  
Chapman (1971), Kasahara (1985)

### Monostromataceae

**Monostroma** Thuret

M. nitidum Wittrock

Kasahara (1988)

M. oxyspermum Kützing

Kapraun & Bowden (1978)

[= *Gayralia oxysperma* (Kützing) Vinogradova]

### CLADOPHORALES

#### Anadyomenaceae

**Microdictyon** Decaisne

M. japonicum Setchell

Askenasy (1888), Chapman (1971), Kasahara (1985, 1988)

M. sp. aff. M. montagnei Harvey

Kasahara (1985)

M. sp.

South (1991)

### Cladophoraceae

**Chaetomorpha** Kützing

C. crassa (C. Agardh) Kützing

Chapman (1971), Kasahara (1985)

C. linum (O. F. Müller) Kützing

Kapraun & Bowden (1978)

C. valida (Hooker et Harvey) Kützing

Dickie (1876), Chapman (1971)

**Cladophora** Kützing

C. anastomosans Harvey

Chapman (1971)

C. coelothrix Kützing

*In Herb.* South Pacific Regional Herbarium, Suva [South, 18 Nov., 1990, Laucala Bay: USP 631; 20 Apr., 1993: USP 636, S8:12]

C. conferta P. Crouan et H. Crouan

N'Yeurt (1993a, b, 1996), South et al. (1993)

C. inserta Dickie

Garbary et al. (1991)

C. vagabunda (Linnaeus) van den Hoek

Kapraun & Bowden (1978)

**Rhizoclonium** Kützing

R. africanum Kützing

N'Yeurt (1993a, b, 1996), South et al. (1993)

R. grande Børgesen

N'Yeurt (1993a, b, 1996)

R. kernerii Stockmayer

*In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 13 Jul., 1973, Savusavu ("Samusamu") Bay: BISH 623622]

## SIPHONOCLADEALES

## Boodleaceae

**Boodlea** Murray et De Toni**B. coacta** (Dickie) Murray et De Toni

N'Yeurt (1993a, b, 1996), South et al. (1994b)

**B. composita** (Harvey) Brand

Chapman (1971), Kasahara (1985)

[= *Boodlea siamensis* Reinbold; see Børgesen (1913) and Silva et al., (1987)]**Struvea** Sonder**S. anastomosans** (Harvey) Piccone et Grunow ex Piccone

Chapman (1971), Kapraun &amp; Bowden (1978), N'Yeurt (1993a, b, 1996)

[includes *Struvea delicatula* Kützing; see Womersley & Bailey (1970)]

## Siphonocladaceae

**Bøergesenia** J. Feldmann**B. forbesii** (Harvey) J. Feldmann

Chapman (1971), Kasahara (1985, 1988), South (1991), N'Yeurt (1993a, b, 1996)

**Cladophoropsis** Børgesen**C. herpestica** (Montagne) Howe*In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 15 Jul., 1973, Korolevu: BISH 623614]**C. membranacea** (C. Agardh) BørgesenKasahara (1985, 1988); *In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 13 Jul., 1973, Savusavu ("Samusamu") Bay: BISH 623612]**C. sundanensis** Reinbold

Raj (1993), N'Yeurt (1993a, b, 1996), South et al. (1993)

**C. vaucheriaeformis** (J. E. Areschoug) Papenfuss

Kasahara (1988)

## Valoniaceae

**Dictyosphaeria** Decaisne ex Endlicher**D. cavernosa** (Forsskål) Børgesen

Chapman (1971), Kapraun &amp; Bowden (1978), Kasahara (1985, 1988), N'Yeurt (1993a, b, 1996)

[includes *Dictyosphaeria favulosa* (C. Agardh) Decaisne ex Endlicher]**D. versluyssii** Weber-van Bosse

Chapman (1971), Kasahara (1985, 1988), South (1991)

**Ernadesmis** Børgesen**E. verticillata** (Kützing) Børgesen

Kasahara (1985)

**Valonia** J. Agardh**V. aegagropila** C. Agardh

Kapraun &amp; Bowden (1978), Kasahara (1985, 1988), N'Yeurt (1993a, b, 1996)

**V.** fastigiata Harvey ex J. Agardh

Kasahara (1988)

**V.** utricularis (Roth) Agardh

Kasahara (1985, 1988), South (1991)

**Valoniopsis** Børgesen

**V.** pachynema (Martens) Børgesen

Kasahara (1988)

**Ventricaria** Olsen et West

**V.** ventricosa (J. Agardh) Olsen et West

Chapman (1971), Kasahara (1985, 1988), South (1991), N'Yeurt (1993a, b, 1996)

[= *Valonia ventricosa* J. Agardh, see Olsen & West (1988)]

## BRYOPSIDALES

### Bryopsidaceae

**Bryopsis** Lamouroux

**B.** harveyana J. Agardh

Kasahara (1985, 1988), South (1991), N'Yeurt (1993a, b, 1996)

**B.** plumosa (Hudson) J. Agardh

N'Yeurt (1993a, b, 1996), South et al. (1993)

### Caulerpaceae

**Caulerpa** Lamouroux

(See South & N'Yeurt 1993)

**C.** brachypus Harvey

Chapman (1971), Kasahara (1985)

[Includes *Caulerpa anceps* Harvey; see South & N'Yeurt (1994)]

var. *parviflora* (Harvey) Cribb

South & N'Yeurt (1993)

**C.** crassifolia (C. Agardh) J. Agardh

Chapman (1971)

**C.** cupressoides (Vahl) C. Agardh

Kasahara (1988), N'Yeurt (1993a, b, 1996)

f. *disticha* (Weber-van Bosse) Collins

Kasahara (1985), South & N'Yeurt (1993)

var. *lycopodium* Weber-van Bosse

Chapman (1971), South (1991), N'Yeurt (1993a, b, 1996), Kasahara (*in Herb.*

Kyoto University, Faculty of Agriculture]) f. *elegans* (P. Crouan et H. Crouan)

Weber-van Bosse

N'Yeurt (1993a, b, 1996); South & N'Yeurt (1993)

var. *mamillosa* (Montagne) Weber-van Bosse

N'Yeurt (1993a, b, 1996), South & N'Yeurt (1993)

**C.** fergusonii Murray

*In Herb.* South Pacific Regional Herbarium, Suva [*Keats*, 13 Oct., 1994, Suva Reef: USP 812]

- C. filicoides Yamada  
var. andamanensis Taylor  
[ = *Caulerpa acuta* (Yamada) Yamada in South & Kasahara 1992; see South & N'Yeurt 1994]
- C. juniperoides J. Agardh  
Chapman (1971)
- C. mexicana Sonder ex Kützing  
[Includes *Caulerpa crassifolia* (C. Agardh) J. Agardh in South & Kasahara (1992); see Papenfuss (1956), Silva et al. (1987:106)]  
var. pluriseriata W. R. Taylor  
Kasahara (1988)
- C. microphysa (Weber-van Bosse) J. Feldmann  
South & N'Yeurt (1993)
- C. racemosa (Forskål) J. Agardh  
Kasahara (1988), N'Yeurt (1993a, b, 1996), South (1993)  
[Includes var. *clavifera* (Turner) Weber-van Bosse in South & Kasahara (1992); see Silva et al. (1987)]  
Chapman (1971)  
var. laetevirens (Montagne) Weber-van Bosse  
Kasahara (1985)
- var. macrophysa (Sonder ex Kützing) W. R. Taylor  
Chapman (1971), Kasahara (1985), South (1991)
- var. occidentalis J. Agardh  
South & N'Yeurt (1993)
- var. peltata (Lamouroux) Eubank  
Kasahara (1985), South (1991), N'Yeurt (1993a, b, 1996)  
[= *Caulerpa peltata* Lamouroux; includes f. *nummularia* (Harvey) Dawson in Kasahara (1988) and South & Kasahara (1992); see Silva et al. (1987); and *Caulerpa peltata* Lamouroux var. *nummularia* (Harvey) Weber-van Bosse]
- var. turbinata (J. Agardh) Eubank  
N'Yeurt (1993a, b, 1996), South & N'Yeurt (1993)  
var. uvifera (Turner) J. Agardh  
Chapman (1971), Kasahara (1985), South (1991), N'Yeurt (1993a, b, 1996)  
intermediate variety between vars. turbinata and peltata  
N'Yeurt (1993a, b, 1996), South & N'Yeurt (1993)
- C. remotifolia Sonder  
Weber-van Bosse (1898), Chapman (1971)
- C. serrulata (Forsskål) J. Agardh  
Chapman (1971), Kasahara (1985, 1988), South (1991, as "C. *serratula* (Forsskål) J. Agardh emend. Bory"), N'Yeurt (1993a, b, 1996); In Herb. Bernice P. Bishop Museum, Hawaii [Abbott et al., 20 Jun., 1973, "Etai, off Viti Levu": BISH 623619; 13 Jul., 1973, Savusavu ("Samusamu") Bay: BISH 623625]  
var. boryana (J. Agardh) Gilbert  
f. occidentalis (Weber-van Bosse) Yamada et Tanaka  
N'Yeurt (1993a, b; 1996), South & N'Yeurt (1993)

- C. sertularioides (S. G. Gmelin) Howe  
     Dickie (1876), Chapman (1971), Kasahara (1985, 1988)
- C. taxifolia (Vahl) C. Agardh  
     Kasahara (1985, 1988), South (1991)
- C. urvilliana Montagne  
     South (1991)  
     var. *vitiensis* Weber-van Bosse  
         Chapman (1971), Kasahara (1985, 1988)
- C. verticillata J. Agardh  
     Kasahara (1988)
- C. webbiana Montagne  
     Garbary et al. (1991)
- Caulerpella** Prud'homme van Reine et Lokhorst
- C. ambigua (Okamura) Prud'homme van Reine et Lokhorst  
     [Includes *Caulerpa ambigua* Okamura in South & Kasahara (1992); see  
     Prud'homme van Reine & Lokhorst (1992)]

#### Codiaceae

- Codium** Stackhouse
- C. arabicum Kützing  
     N'Yeurt (1993a, b, 1996)  
     [= *C. adhaerens* in Chapman (1971); see Silva et al. (1987). Includes *C. coronatum* Setchell var. *aggregata* Børgesen in South & Kasahara (1992); see Egerod (1952); Silva et al. (1987)]
- C. bulbopilum Setchell  
     Kasahara (1985), South (1991, as “*C. bolbopilum*”), N'Yeurt (1993a, b, 1996)
- C. geppii O. C. Schmidt  
     Chapman (1971), Kasahara (1988)
- C. mamillosum Harvey  
     In Herb. South Pacific Regional Herbarium, Suva [Keats, 10 May, 1994, Suva  
     Reef: USP 669, 784]
- C. platyclados Jones et Kraft  
     Jones & Kraft (1984)
- C. sp.  
     N'Yeurt (1993a, b, 1996)  
     [this new peltate species of *Codium* will be described elsewhere]

#### Halimiaceae

- Halimeda** Lamouroux  
     (See South 1992)
- H. bikiensis W. R. Taylor  
     Kasahara (1988), South (1992), N'Yeurt (1993a, b, 1996)
- H. copiosa Goreau et Graham  
     South (1992)  
     [= *Halimeda hederacea* (Barton) Hillis; *H. opuntia* v. *hederacea* (Barton)  
     Hillis)]

- Chapman (1971); Kasahara (*in Herb. Kyoto University, Faculty of Agriculture*)
- H. cuneata Hering  
South (1992), N'Yeurt (1993a, b, 1996)
- f. undulata Barton  
Kasahara (1985); South (1991)
- f. digitata Barton  
Chapman (1971), Kasahara (1988), South (1992), South & Kasahara (1992)
- H. cylindracea Decaisne  
Chapman (1971), Kasahara (1985, 1988), South (1991, 1992)
- H. discoidea Decaisne  
Chapman (1971), Kasahara (1988), South (1992), N'Yeurt (1993a, b, 1996)
- H. fragilis W. R. Taylor  
Kasahara (1988), South (1992)
- H. incrassata (Ellis) Lamouroux  
Askenasy (1888), Chapman (1971), Kasahara (1985), South (1991, 1992)
- H. macroloba Decaisne  
Chapman (1971), Kasahara (1985, 1988), South (1991, 1992)
- H. macrophysa Askenasy  
Askenasy (1888), Chapman (1971), Kasahara (1985, 1988), South (1992), N'Yeurt (1993a, b, 1996)
- H. micronesia Yamada  
N'Yeurt (1993a, b, 1996), South et al. (1993)
- H. minima (W. R. Taylor) Colinvaux  
Garbary et al. (1991), South (1992)  
[= *Halimeda opuntia* f. *minima* W. R. Taylor]
- H. opuntia (Linnaeus) Lamouroux  
Askenasy (1888), Chapman (1971), Kasahara (1985, 1988), South (1991, 1992), N'Yeurt (1993a, b, 1996)  
[= *Halimeda cordata* J. Agardh; see Tsuda & Wray (1977), Silva et al. (1987)]
- var. *hederacea* (Barton) Hillis  
N'Yeurt (1993a, b, 1996)
- var. *macrocarpa* Askenasy  
Chapman (1971)
- var. *opuntia* (Decaisne) J. Agardh  
N'Yeurt (1993a, b, 1996)
- H. renschii Hauck  
Garbary et al. (1991), South (1992)  
[= *Halimeda opuntia* f. *renschii* (Hauck) Barton; see Womersley & Bailey (1970). The record requires further investigation, since the Fijian specimens at UBC are not of this species.]
- H. simulans Howe  
Kasahara (1985, 1988), South (1992), N'Yeurt (1993a, b, 1996)
- H. taenicola W. R. Taylor  
Garbary et al. (1991), South (1992), N'Yeurt (1993a, b, 1996)

- H. tuna* (Ellis et Solander) Lamouroux  
 South (1992), N'Yeurt (1993a, b, 1996)  
*f. triloba* Barton  
 Chapman (1971, 1977), Kasahara (1985, 1988)

**Rhipiliopsis**

- R. howensis* Kraft  
*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 27 Nov., 1994,  
 Belcher Rocks (Suva Reef): USP 856, S12:2, S12:3, S12:5]  
*R. sp.*  
 Garbary et al. (1991)

**Udoteaceae**

**Avrainvillea** Decaisne

- A. amadelpha* (Montagne) A. Gepp et E. S. Gepp  
 Kasahara (1988), N'Yeurt (1993a, b, 1996)  
*A. asarifolia* Børgesen  
 Kasahara (1985)  
*A. erecta* (Berkeley) A. Gepp et E. S. Gepp  
 Kasahara (1985)  
*A. nigricans* Decaisne

Kapraun & Bowden (1978)

- A. rotumensis* N'Yeurt, D. & M. Littler  
 N'Yeurt (1993a, b, 1996), N'Yeurt et al. (1996)

**Chlorodesmis** Harvey et Bailey

- C. fastigiata* (C. Agardh) Ducker  
 Chapman (1971), Kasahara (1985, 1988), South (1991); *In Herb.* South Pacific Regional Herbarium, Suva [Carlson, 14 Jan., 1973, Suva Reef: USP 24 (as *C. comosa* Harvey et Bailey; see note below)]  
 [includes *Chlorodesmis comosa* Harvey et Bailey; see Ducker (1967)]

- C. hildebrandtii* A. Gepp et E. S. Gepp  
 Garbary et al. (1991:252, as *C. "hildebrandtii"*), N'Yeurt (1993a, b, 1996)

- C. major* Zanardini  
 N'Yeurt (1993a, b, 1996), South et al. (1993)

**Pseudochlorodesmis** Børgesen

- P. furcellata* (Zanardini) Børgesen  
 Garbary et al. (1991)

**Rhipidosiphon** Montagne

- R. javensis* Montagne  
 South (1991), N'Yeurt (1993a, b, 1996)  
 [= *Udotea javensis* (Montagne) A. Gepp et E. S. Gepp; see Littler & Littler (1990)] Kasahara (1985, 1988, as *Udotea javensis*)

**Rhipilia** Kützing

- R. orientalis* A. Gepp et E. S. Gepp  
 N'Yeurt (1993a, b, 1996)

*R. tenaculosa* A. Gepp et E. S. Gepp

*In Herb.* South Pacific Regional Herbarium, Suva [*Keats*, 23rd Aug., 1994,  
Suva Reef: USP 786, 792]

**Rhipiliella** Kraft

*R. verticillata* Kraft

*In Herb.* South Pacific Regional Herbarium, Suva [*Keats*, 8 Oct., 1994, Suva  
Reef: USP S11: 20]

**Tydemania** Weber-van Bosse

*T. expeditionis* Weber-van Bosse

Chapman (1977), Kasahara (1985, 1988), South (1991); *In Herb.* Bernice P.  
Bishop Museum, Hawaii [Abbott et al., 20 Jun., 1973, "Etai, off Viti Levu":  
BISH 623623]

**Udotea** Lamouroux

*U. glaucescens* Harvey ex J. Agardh

Kasahara (1988), South (1991)

**DASYCLADALES**

**Polyphysaceae**

**Acetabularia** Lamouroux

*A. calycus* Lamouroux

Chapman (1971)

*A. dentata* Solms-Laubach

Garbary et al. (1991)

*A. exigua* Solms-Laubach

Garbary et al. (1991)

**Polyphysa** Lamarck

*P. clavata* (Yamada) Schnetter et Bula-Meyer

Garbary et al. (1991), South (1991)

[= *A. clavata* Yamada; see Schetter & Bula-Meyer (1982)]

*P. parvula* (Solms-Laubach) Schnetter et Bula-Meyer

[= *A. parvula* Solms-Laubach; see Schnetter & Bula-Meyer (1982) = *Acetabularia moebii* Solms-Laubach]

Garbary et al. (1991, as *A. moebii* Solms-Laubach)

**Dasycladaceae**

**Bornetella** Munier-Chalmas

*B. capitata* (Harvey) J. Agardh

Kasahara (1988), Garbary et al. (1991)

*B. nitida* (Harvey) Munier-Chalmas

Chapman (1971), Kasahara (1985)

*B. oligospora* Solms-Laubach

Kapraun & Bowden (1978), Kasahara (1985, 1988), South (1991)

*B. sphaerica* (Zanardini) Solms-Laubach

Kasahara (1985), South (1991)

*B. vitilevana* sp. ined. H. Kasahara

Kasahara (1988)

**Neomeris** Lamouroux**N. vanbosseae** Howe

Chapman (1971), Kasahara (1985), South (1991), N'Yeurt (1993a, b, 1996)

**PHAEOPHYCEAE****ECTOCARPALES****Ectocarpaceae****Ectocarpus** Lyngbye**E. simpliusculus** C. Agardhvar. *vitiensis* Askenasy

Chapman (1971)

**Feldmannia** Hamel**F. columellaris** (Børgesen) Islam

Garbary et al. (1991)

**F. indica** (Sonder) Womersley et Bailey

Chapman (1971), Garbary et al. (1991)

[= *Ectocarpus indicus* Sonder in Zollinger]**F. irregularis** (Kützing) Hamel

Garbary et al. (1991)

**Hincksia** J. E. Gray**H. breviarticulata** (J. Agardh) P. C. Silva

N'Yeurt (1993a, b, 1996), South et al. (1993)

**H. mitchelliae** (Harvey) P. C. Silva

South (1991)

**Streblonema** Derbès et Solier in Castagne**S. minutulum** Heydrich

South et al. (1993: 182, fig. 3)

**Ralfsiaceae****Ralfsia** Berkeley in Smith et Sowerby**R. expansa** J. Agardh

Garbary et al. (1991)

**CUTLERIALES****Cutleriaceae****Cutleria** Greville

Aglaozonia-phase of Cutleria

In Herb. South Pacific Regional Herbarium, Suva [South, 7 Feb., 1993, Lau-cala Bay: USP S8:11]

**SPHACELARIALES****Sphacelariaceae****Sphacelaria** Lyngbye**S. novae-hollandiae** Sonder

Garbary et al. (1991), South (1991)

**S. rigidula** Kützing

N'Yeurt (1993a, b, 1996)

[Probably includes *Sphacelaria furcigera* Kützing in Garbary et al. (1991) and South & Kasahara (1992); see Silva et al. (1987: 74)]**S. tribuloides** Meneghini

Chapman (1971)

[Includes *S. novae-hollandiae* according to Chapman (1971), but listed separately in Tsuda & Wray (1977)]

## DICTYOTALES

## Dictyotaceae

**Dictyopteris** Lamouroux**D. repens** (Okamura) Børgesen

Garbary et al. (1991), N'Yeurt (1993a, b, 1996)

**Dictyota** Lamouroux

(see Ajisaka &amp; Enomoto 1985)

**D. bartayresiana** Lamouroux

Kapraun &amp; Bowden (1978), Ajisaka &amp; Enomoto (1985), South (1991, as "D. bartayresii" Lamouroux")

**D. cervicornis** Kützing

Kapraun &amp; Bowden (1978), Ajisaka &amp; Enomoto (1985), South (1991)

**D. dentata** Lamouroux

Ajisaka &amp; Enomoto (1985)

**D. dichotoma** (Hudson) Lamouroux

Chapman (1971), South (1991)

var. *elongata* Kützing

Chapman (1971)

**D. divaricata** Lamouroux

Ajisaka &amp; Enomoto (1985), Garbary et al. (1991), South (1991)

**D. friabilis** Setchell

Ajisaka &amp; Enomoto (1985), N'Yeurt (1993a, b, 1996)

**D. patens** J. Agardh

Ajisaka &amp; Enomoto (1985)

**Dilophus** J. Agardh**D. radicans** Okamura

Garbary et al. (1991), N'Yeurt (1993a, b, 1996)

**Lobophora** J. Agardh**L. variegata** (Lamouroux) Womersley

Chapman (1971), N'Yeurt (1993a, b, 1996)

**Padina** Adanson**P. australis** Hauck

Garbary et al. (1991), South (1991)

**P. fraseri** (Greville) Greville

Chapman (1971)

- P. gymnospora (Kützing) Sonder  
     Kapraun & Bowden (1978)
- P. pavonica (Linnaeus) Thivy  
     Chapman (1971)
- P. tenuis Børgesen  
     Kapraun & Bowden (1978), N'Yeurt (1996)
- P. minor Yamada  
     Kapraun & Bowden (1978)

#### Dictyotopsidae

- Dictyotopsis** Troll
- D. propagulifera Troll  
     Raj (1993), South et al. (1993)

#### DICTYOSIPHONALES

##### Chnoosporaceae

- Chnoospora** J. Agardh
- C. implexa J. Agardh  
     In *Herb.* South Pacific Regional Herbarium, Suva [Carlson, 19 Oct., 1972,  
     Suva Reef: USP 145 (as *Gracilaria* sp.); Kasahara, 17 Oct., 1985, Suva Reef:  
     USP 678, 679; Faloon, 22 Oct., 1993, Suva Lagoon: USP 667, 746, 760]
- C. minima (Hering) Papenfuss  
     N'Yeurt (1993a, b, 1996), South et al. (1993)

#### SCYTOSIPHONALES

##### Scytosiphonaceae

- Colpomenia** (Endlicher) Derbès et Solier in Castagne
- C. sinuosa (Mertens ex Roth) Derbès et Solier  
     Chapman (1971); in *Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al.,  
     15 Jul., 1973, Korolevu: BISH 623575]

**Hydroclathrus** Bory

- H. clathratus (C. Agardh) Howe  
     Chapman (1971); in *Herb.* Bernice P. Bishop Museum, Hawaii [Newhouse,  
     22 Sep., 1952, "Cuvu, Singatoka, west side of Navuevu River": BISH 512119;  
     Kondo, Aug./Sep. 1968, Ono-I-Lau: BISH 557347; Abbott et al., 20 Jun.,  
     1973, "Etai, off Viti Levu": BISH 623576]

**Rosenvingea** Børgesen

- R. orientalis (J. Agardh) Børgesen  
     South et al. (1993:183, fig. 4)

#### FUCALES

##### Sargassaceae

- Sargassum** C. Agardh
- S. cristaefolium C. Agardh  
     Chapman (1971)

[= *S. duplicatum* (J. Agardh) J. Agardh; see Tsuda & Wray (1977) and Silva et al. (1987). This record (as *S. duplicatum*) uncertain, the species showing some similarity with *Sargassum fonanense* Setchell]

**S. horridulum** Grünow

Chapman (1971)

[Includes *Sargassum polycystum* C. Agardh according to Chapman (1971); see, however, Silva et al. (1987)]

**S. ilicifolium** (Turner) J. Agardh

Garbary et al. (1991)

**S. obovatum** Harvey

Chapman (1971)

**S. polycystum** C. Agardh

Chapman (1971), Garbary et al. (1991), N'Yeurt (1993a, b, 1996); *In Herb.* Bernice P. Bishop Museum, Hawaii [Kondo, Aug./Sep. 1968, Ono-I-Lau: BISH 555177, 555178, 555179; Nicholson, 26 Jul., 1978, Nukulau (Suva Reef): BISH 512635]

[See note to *S. horridulum*, above. According to Chapman (1971) this species was recorded by earlier collectors as *S. vulgare*, an Atlantic species]

**Turbinaria** Lamouroux

**T. conoides** (J. Agardh) Kützing

Chapman (1971); *In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 15 Jul., 1973, Korolevu: BISH 623623]

[= *Turbinaria vulgaris* J. Agardh according to Chapman (1971), but see note in Silva et al. (1987)]

**T. ornata** (Turner) J. Agardh

Chapman (1971), South (1991), N'Yeurt (1993a, b, 1996).

### Cystoseiraceae

**Cystoseira** C. Agardh

? **C. prolifera** J. Agardh

Chapman (1971)

### RHODOPHYCEAE

#### Bangiophycidae

#### BANGIALES

#### Erythropeltidaceae

**Erythrotrichia** J. E. Areschoug

**E. carnea** (Dillwyn) J. Agardh

Garbary et al. (1991), South (1991), N'Yeurt (1993a, b, 1996)

#### Goniotrichaceae

**Bangiopsis** Smith in Smith et Hollenberg

**B. humphreyi** (Collins) Hamel

Kapraun & Bowden (1978)

**Goniotrichopsis** Smith

**G. sublittoralis** Smith  
Garbary et al. (1991)

**Stylochoma** Reinsch  
[= *Goniotrichum* Kützing]  
**S. alsidii** (Zanardini) Drew  
Garbary et al. (1991)  
[= *Goniotrichum alsidii* (Zanardini) Howe]

**Florideophycidae**  
**ACROCHAETIALES**  
**Acrochaetiaceae**

**Audouinella** Bory

[See nomenclatural note in Silva et al. (1987), where *Acrochaetium* Nägeli is preferred]

- A. microscopica** (Nägeli) Woelkerling  
Garbary et al. (1991), South (1991)
- A. polyblasta** (Rosenvinge) J. Price, Lawson et John  
N'Yeurt (1993a, b, 1996), South et al. (1993)
- A. saviana** (Meneghini) Woelkerling  
South et al. (1994:185)
- A. thuretii** (Bornet) Woelkerling  
Garbary et al. (1991)

**BONNEMAISONIALES**  
**Bonnemaisoniaceae**

**Asparagopsis** Montagne

- A. taxiformis** (Delile) Trevisan  
Chapman (1977), Garbary et al. (1991). Both record the probable tetrasporic phase as *Falkenbergia hillebrandii* (Bornet) Falkenberg.  
South (1991)

**Galaxauraceae**  
[= **Chaetangiaceae**; see Silva et al., 1987]

**Actinotrichia** Decaisne

- A. fragilis** (Forskål) Børgesen  
Grunow (1874), Askenasy (1888), Chapman (1971), Kasahara (1985), South (1991), N'Yeurt (1993a, b, 1996); *In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 13 Jul., 1973, Savusavu ("Samusamu") Bay: BISH 623702; 15 Jul., 1973, Korolevu: BISH 623709, 623717, 623723]

**Galaxaura** Lamouroux

- G. apiculata** Kjellman  
Kasahara (1985), South (1991)  
[Possible relationship between *G. apiculata* and *G. marginata* discussed in Kasahara 1985]

G. fasciculata Kjellman

Chapman (1971), Kasahara (1985)

[= *G. fascicularis* Kjellman in Tsuda & Wray, 1977]

G. filamentosa Chou

Kasahara (1985), Garbary et al. (1991), South (1991), N'Yeurt (1996) [includes *Galaxaura rудis* Kejllman according to Kasahara (1985) and Silva et al. (1987); but *G. rудis* included in *Galaxaura rugosa* (Ellis et Solander) Lamouroux according to Huisman & Borowitzka (1990). According to Papenfuss et al. (1982), *G. rудis* is a taxonomic synonym of *G. lapidescens* (Ellis et Solander) Lamouroux]

G. glabriuscula Kjellman

Itono (1985a)

G. hystrix Kjellman

Chapman (1971)

G. lapidescens (Ellis et Solander) Lamouroux

Grunow (1874)

[see note to *G. filamentosa*]

G. marginata (Ellis et Solander) Lamouroux

Kasahara (1985); *In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 14 Jul., 1973, Korolevu: BISH 623700]

[according to Kasahara (1985) and Silva et al. (1987), includes *Galaxaura clavigera* Kjellman and *G. ventricosa* Kjellman; but see Huisman & Borowitzka (1990)]

G. obtusata (Ellis et Solander) Lamouroux

Grunow (1874), Chapman (1971, 1977), Kasahara (1985); *In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 14 Jul., 1973, Korolevu: BISH 623718; 15 Jul., 1973: BISH 623719]

[according to Kasahara (1985) includes *Galaxaura breviarticulata* Kejllman and *G. robusta* Kjellman (cf. Chapman 1977); see, however, Huisman & Borowitzka (1990)]

G. rugosa (Ellis et Solander) Lamouroux

Grunow (1874), Dickie (1876), Kasahara (1985), South (1991)

[includes *Galaxaura rудis* Kjellman; see Huisman and Borowitzka (1990), and note to *G. filamentosa*]

G. striata Kjellman

Chapman (1971)

G. subfruticulosa Chou ex W. R. Taylor

Itono (1985a)

G. stupocaula Kjellman

Itono (1985a)

G. subverticillata Kjellman

Kasahara (1985)

G. ventricosa Kjellman

Itono (1985a)

**Scinaria** Bivona-Bernardi

**S. aborealis** Huisman

*In Herb.* South Pacific Regional Herbarium, Suva [*Faloon*, 22nd Oct., 1993, Makaluwa Island (Suva Reef): USP 688, 747, 773]

**Tricleocarpa** Huisman et Borowitzka**T. fragilis** (Linnaeus) Huisman et Townsend

[= *Tricleocarpa oblongata* Huisman et Borowitzka, see Huisman and Townsend 1993]

[= *Galaxaura oblongata* (Ellis et Solander) Lamouroux; includes *Galaxaura fastigiata* Decaisne and *Galaxaura fragilis* Lamarck et Decaisne. See Huisman & Borowitzka (1990)]

Kasahara (1985, as *G. oblongata*)

**GELIDIALES****Gelidiaceae****Gelidiella** J. Feldmann et Hamel**G. acerosa** (Forsskål) J. Feldmann et Hamel

[= *Gelidium rigidum* (C. Agardh) Greville; see Silva et al. (1987:25)]

Chapman (1971), Kasahara (1985), South (1991), N'Yeurt (1993a, b, 1996); *in Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 13 Jul., 1973, Savusavu ("Samusamu") Bay: BISH 623708, 623720; 15 Jul., 1973, Korolevu: BISH 623672; Nicholson, 26 Jul., 1978, Nukulau (Suva Reef): BISH 530729]; *in Herb.* South Pacific Regional Herbarium, Suva [Carlson, 14 Jan., 1973, Suva Reef: USP 294; 11 Aug., 1973: USP 295 (as *Gelidium rigidum* (C. Agardh) Greville)]

**Gelidium** Lamouroux**G. crinale** (Turner) Gaillon var. *perpusillum* Piccone et Grunow

Raj (1993), South et al. (1993)

**G. pusillum** (Stackhouse) Le Jolis

Chapman (1971), N'Yeurt (1993a, b, 1996)

**Pterocladia** J. Agardh**P. nana** Okamura

Kapraun & Bowden (1978)

**NEMALIALES****Liagoraceae****Liagora** Lamouroux**L. ceranoides** Lamouroux

Chapman (1971), Kasahara (1985)

[according to Kasahara (1985) includes *Liagora pulverentula* C. Agardh]

**L. demelii** Sonder

Grunow (1874); Chapman (1971)

**L. farinosa** Lamouroux

Grunow (1874); Chapman (1971)

**L. setchellii** Yamada

Kasahara (1985), South (1991)

- L. subarticulata Grunow  
     Grunow (1874), Chapman (1971)
- L. valida Harvey  
     N'Yeurt (1993a, b, 1996)
- L. viscosa (Forsskål) C. Agardh  
     Grunow (1874), Chapman (1971)
- Yamadaella** Abbott
- Y. caenomyce (Decaisne) Abbott  
     Kasahara (1985)

#### Nemaliaceae

##### **Trichogloea** Kützing

- T. requienii (Montagne) Kützing  
     In Herb. South Pacific Regional Herbarium, Suva [Keats, 9 Sep., 1994, Great Astrolabe Reef (Kadavu): USP 832, 839]

#### CRYPTONEMIALES

##### Halymeniaceae

[= Cryptonemiaceae, see Guiry (1978)]

- Carpopeltis** Schmitz
- C. affinis (Harvey) Okamura  
     Garbary et al. (1991)
- C. formosana Okamura  
     [= *Corynocystis* sp. (G. T. Kraft, pers. com)]  
     Kasahara (1985)
- C. maillardii (Montagne et Millardet) Chiang  
     Garbary et al. (1991)
- C. rigida (Harvey ex J. Agardh) Schmitz  
     In Herb. Bernice P. Bishop Museum, Hawaii [Abbott et al., 15 Jul., 1973,  
     Korolevu: BISH 623570, 623569]

##### **Grateloupia** C. Agardh

- G. filicina (Lamouroux) C. Agardh  
     Kapraun & Bowden (1978)

##### **Halymenia** C. Agardh

- H. durvillaei Bory de Saint-Vincent  
     Chapman (1971), Kasahara (1985)  
     [According to Kasahara (1985) includes *Halymenia formosa* Harvey]

- H. floresia (Clemente y Rubio) C. Agardh  
     Kasahara (1985)

[According to Kasahara (1985) includes *Halymenia harveyana* J. Agardh]

##### **Prionitis** J. Agardh nom. cons

- P. ?angusta (Harvey) Okamura  
     In Herb. South Pacific Regional Herbarium, Suva [Carlson, 25 Mar., 1973,  
     Toberua, as "Gracilaria eucheumoides Harvey": USP 136 (cystocarpic); Phy-  
     cology Class, 9 Sept., 1991, Makaluva Island (Suva Reef): USP 137; Kasa-

*hara*, 17 Oct., 1985, Makaluva Island (Suva Reef): USP 713; *Ballou*, 10 Feb., 1995, Suva Reef: USP 855]

[Note: in the absence of fertile material this identification is only tentative (S. Kawaguchi, in lit.)]

### Peyssonneliaceae

#### **Peyssonnelia** Decaisne

- P. *rubra* (Greville) J. Agardh  
Grunow (1874), Chapman (1971)
- P. sp.  
N'Yeurt (1993a, b, 1996)

### Squamariaceae

#### **Hildenbrandia** Nardo

- H. *crouanii* (J. Agardh) J. Agardh  
*In Herb.* South Pacific Regional Herbarium, Suva [South, 20 Apr., 1993,  
Laucala Bay: USP 598; S7:19; S7:20; S8:1]

### CORALLINALES

#### Sporolithaceae

#### **Sporolithon** Heydrich

- S. *ptychoides* Heydrich
- S. *episporum* (Howe) Dawson

#### Corallinaceae

#### **Amphiroa** Lamouroux

- A. *anceps* (Lamarck) Decaisne  
Garbary et al. (1991)
- A. *annulata* Lemoine  
Kasahara (1985), South (1991)
- A. *crassa* Lamouroux  
Chapman (1971), Garbary et al. (1991)  
[Includes *Amphiroa godeffroyi* Grunow according to Chapman (1971)]
- A. *foliacea* Lamouroux  
Kasahara (1985)
- A. *fragilissima* (Linnaeus) Lamouroux  
Grunow (1874), Chapman (1971), Kapraun & Bowden (1978), Kasahara (1985), Garbary et al. (1991), South (1991)
- A. *tribulus* (Ellis et Solander) Lamouroux  
Kapraun and Bowden (1978)
- A. sp. aff. A. *hancockii* W. R. Taylor  
Kasahara (1985)
- A. sp.  
South (1991)

#### **Arthrocardia** Decaisne

## A. sp.

Garbary et al. (1991)

**Cheilosporum** (Decaisne) Zanardini

C. jungermannioides Ruprecht ex J. E. Areschoug

Chapman (1971)

## C. spectabile Harvey

Grunow (1874), N'Yeurt (1993a, b, 1996)

**Jania** Lamouroux

## J. adhaerens Lamouroux

Garbary et al. (1991), N'Yeurt (1993a, b, 1996)

## J. capillacea Harvey

Garbary et al. (1991)

## J. pumila Lamouroux

Grunow (1874)

## J. rubens Lamouroux

N'Yeurt (1993a, b, 1996); *In Herb.* Bernice P. Bishop Museum, Hawaii  
[Greenwood, 25 May, 1941, "Nandronga, Thuvu, near Singatoka": BISH  
535460, 535461]

## J. unguis (Yendo) Yendo

Garbary et al. (1991)

## J. tenella (Kützing) Grunow

Grunow (1874), Dickie (1876), Chapman (1971)

**Mastophoroideae****Hydrolithon** (Foslie) Foslie

H. gardineri (Foslie) Verheij et Prud'homme van Reine

H. onkodes (Heydrich) Penrose et Woelkerling

H. reinboldii (Weber-van Bosse et Foslie in Foslie) Foslie

Chapman (1977)

H. samoense (Foslie) Keats et Chamberlain

**Neogoniolithon** Setchell et Mason

N. frutescens (Foslie) Setchell et Mason

Chapman (1971)

[= *Goniolithon frutescens* Foslie]**Melobesioideae****Lithothamnion** Heydrich

L. prolifer Foslie

L. australe Foslie

**Mesophyllum** Lemoine

M. erubescens (Foslie) Lemoine

M. funafutiense (Foslie) Verheij

**Lithophylloideae****Lithophyllum** Philippi

L. cuneatum Keats

- L. insipidum Adey, Townsend et Boykins  
 L. kotschyanum Unger  
 L. tamiense Heydrich  
     Chapman (1977, as *L. moluccense* (Foslie) Foslie f. *pygmaea* Heydrich),  
     N'Yeurt (1993a, b, 1996)  
 L. prototypum (Foslie) Foslie  
 L. pustulatum (Lamouroux) Foslie  
     [= *Titanoderma pustulatum* (Lamouroux) Nägeli]  
     In Herb. South Pacific Regional Herbarium, Suva [*Faloon*, 22 Oct., 1993,  
     Suva Reef: USP 774]

**Species of nongeniculate coralline algae of uncertain status in Fiji**

- Dermatolithon** Foslie  
 D. saxicolum Lemoine  
     Chapman (1971)  
**Heteroderma**  
 H. parvicarpa Dawson  
     Chapman (1971)  
**Hydrolithon** (Foslie) Foslie  
 H. coccosicum (Foslie) Penrose et Woelkerling  
     [= *Porolithon coccosicum* Foslie, see Penrose & Woelkerling (1992)]  
     Chapman (1971)  
 H. farinosum (Lamouroux) Penrose et Chamberlain  
     [= *Fosliella farinosa* (Lamouroux) Howe, vide Penrose & Chamberlain  
     (1993); also includes *Melobesia farinosa* Lamouroux]  
     Grunow (1874), Chapman (1971), N'Yeurt (1993a, b, 1996) [all as *Fosliella  
     farinosa* (Lamouroux) Howe]  
**Mesophyllum** Lemoine  
 M. engelhartii Foslie  
     [Chapman (1977), as *Lithothamnion engelhartii*]  
**Lithothamnion** Heydrich  
 L. granuliferum Foslie  
     Chapman (1971)  
**Lithophyllum** Philippi  
 L. divaricatum Lemoine  
     Chapman (1977)  
 L. impar Foslie  
     Chapman (1971)  
 L. okamurae Foslie  
     Chapman (1977)

**GIGARTINALES**

**Rhizophyllidaceae**

- Portieria** Zanardini  
 P. hornemannii (Lyngbye) Silva

Grunow (1874), Chapman (1971), Kasahara (1985), South (1991)  
 [= *Chondrococcus hornemannii* (Lyngbye) Schmitz; see Silva et al. (1987).  
 According to Chapman (1971) = *Portieria cincinnata* Montagne var. *pulvinata* Grunow in Grunow (1874)]

### Dumontiaceae

#### **Gibsmithia** Doty

*G. dotyi* Kraft et Ricker

*In Herb.* South Pacific Regional Herbarium, Suva [Ballou and Yeo, 19 Feb. 1995, Suva Lagoon: USP 908]

### Gracilariaeae

#### **Gelidiopsis** Schmitz

*G. acrocarpum* (Harvey) Schmidt

Grunow (1874); Chapman (1971)

[= *Gelidiopsis acrocarpa* in Tsuda and Wray (1977); includes *Gelidium radicans* Kützing in Grunow (1874)]

*G. intricata* (C. Agardh) Vickers

Kasahara (1985), N'Yeurt (1993a, b, 1996)

[= *Gelidium intricatum* (C. Agardh) Kützing in Setchell (1924: 163, fig. 31), according to Kasahara (1985)]

*G. rigida* (Vahl) Weber-van Bosse

Chapman (1971)

[= *Echinocaulon rigidum* (Vahl) Kützing in Grunow (1874) and Chapman (1971)]

*G. variabilis* (J. Agardh) Schmitz

Kapraun & Bowden (1978)

#### **Gracilaria** Greville

*G. coronopifolia* J. Agardh

Kapraun & Bowden (1978)

*G. edulis* (S. G. Gmelin) P. C. Silva

*In Herb.* H. Kasahara, Kyoto University, Faculty of Agriculture

[Includes *Gracilaria lichenoides* in Askenasy (1888), Chapman (1971) and South & Kasahara (1992). According to Silva (1952) the most common name for nineteenth century collections of *G. lichenoides* equates with *G. edulis*. *Gracilaria edulis* also includes *Polycavernosa fastigiata* Chiang et Xia = *Hydropuntia fastigiata* (Chiang et Xia) Wynne; see Abbott et al. 1991.]

*G. eucheumoides* Harvey

Chapman (1971)

*G. furcellata* Harvey

Chapman (1977)

*G. mammilaris* (Montagne) Howe

Kapraun & Bowden (1978)

[The occurrence of this Caribbean species in Fiji should be re-investigated.]

*G. maramae* South sp. inedit.

South (1993, 1995)

[Includes *Gracilaria* sp. aff. *G. parvispora* Abbott in South & Kasahara (1992), and *Gracilaria* sp. in South (1993)]

*G. verrucosa* (Hudson) Papenfuss

Chapman (1971)

[= *Gracilaria confervoides* (L.) Greville according to Chapman (1971). See Bird et al. (1982)]

*G. sp.* aff. *G. textorii* (Suringar) De Toni

N'Yeurt (1993a, b, 1996)

### Hypnaceae

**Hypnea** Lamouroux

*H. cervicornis* J. Agardh

Kapraun & Bowden (1978)

*H. charoides* Sonder

Kasahara (1985)

*H. cornuta* (Kützing) J. Agardh

Kapraun & Bowden (1978)

*H. divaricata* (C. Agardh) Greville

Grunow (1874), Chapman (1971)

*H. esperi* Bory

Askenasy (1888), Chapman (1971), Kasahara (1985), South (1991)

*H. musciformis* (Wulfen) Lamouroux

var. *esperi* J. Agardh

Chapman (1971)

[see note regarding *Hypnea esperi* in Silva et al. (1987)]

*H. nidulans* Setchell

In Herb. South Pacific Regional Herbarium, Suva [Phycology Class, 9 Sep., 1991, Suva Reef: USP 303]

*H. pannosa* J. Agardh

Grunow (1874), Chapman (1971), Kasahara (1985), South (1991, 1993)

[According to Kasahara (1985) includes *Hypnea nidulans* Setchell]

### Nemastomataceae

**Predaea** G. DeToni

*P. weldii* Kraft et Abbott

In Herb. South Pacific Regional Herbarium, Suva [Keats, 9 Jul. 1994, Great Astrolabe Reef, Kadavu: USP 909]

**Titanophora** (J. Agardh) J. Feldmann

*T. weberae* Børgesen

Kasahara (1985, as *T. sp.* aff. *T. pulchra* Dawson)

### Phacelocarpaceae

**Phacelocarpus** Endlicher et Diesing, nom. cons.

*P. neurymenioides* N'Yeurt, Keats et R. E. Norris

N'Yeurt et al. (1995)

### Solieriaceae

#### **Callophycus** Trevisan

##### **C. densus** (Sonder) Kraft

Grunow (1874, as *Thysanocladia densa* Sonder; see note below); *In Herb.* South Pacific Regional Herbarium, Suva [Keats, 9 Sep., 1994, Great Astrolabe Reef (Kadavu): USP 845]

[= *Thysanocladia densa* Sonder, see Kraft (1984: 58)]

##### **C. serratus** (Harvey ex Kützing) P. C. Silva

[= *Thysanocladia serrata* Harvey ex Kützing, see Kraft (1984)]

Chapman (1971, as *Thysanocladia serrata* Harvey), Kraft (1984)

#### **Eucheuma** J. Agardh

[*Eucheuma* is cultivated in Fiji, with introduced species and varieties; taxa cultivated in Fiji include *Kappaphycus alvarezii* (Doty) Doty (the most commonly cultivated), *E. striatum* Schmitz and *E. denticulatum* (N. L. Burman) Collins et Hervey (= *Eucheuma spinosum* J. Agardh). See Booth et al. (1983), Luxton et al. (1987), Prakash (1990), Foscarini & Prakash (1990), Ram (1991), and Eldredge (1994)]

##### **E. sp.**

Garbary et al. (1991)

#### **Meristotheca** J. Agardh

##### **M. procumbens** P. Gabrielson et Kraft

N'Yeurt (1993a, b, 1995, 1996), South et al. (1993); *In Herb.* Bernice P. Bishop Museum, Hawaii [Booth, Oct. 1975, Rotuma Island: BISH 474694, 536995; 8 Aug., 1977, Rotuma Island: BISH 512057, 537010]

#### **Solieria** J. Agardh

##### **S. robusta** (Greville) Kylin

South (1993)

### PLOCAMIALES

[see Saunders and Kraft, 1994]

### Plocamiaceae

#### **Plocamium** Lamouroux

##### **P. abnorme** Hooker et Harvey

Chapman (1971)

[= *P. botryoides* Kützing in Grunow (1874) according to Chapman (1971)]

##### **P. cartilagineum** (Linnaeus) Dixon

South et al. (1994:186, fig. 5)

### RHODYMENIALES

### Champiaceae

#### **Champia** Desvaulx

##### **C. parvula** (C. Agardh) Harvey

Kapraun & Bowden (1978), N'Yeurt (1993a, b, 1996); *In Herb.* Bernice P. Bishop Museum, Hawaii [Booth, Oct. 1975, "Boka Bay, Nacula Islands, Yasawa": BISH 528448]

**C. vieillardii** Kützing  
Kasahara (1985)

### Rhodymeniaceae

**Botryocladia** (J. Agardh) Kylin

**B. skottsbergii** (Børgesen) Levring

*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 26 Jul., 1994, Suva Reef: USP S11:15 Aug., 1994: USP S10:20; 19 Aug., 1994: USP 788; 21 Sep., 1994: USP 811]

**B. spinulifera** W. R. Taylor et Abbott  
Kasahara (1985)

**Coelarthurum** Børgesen

**C. boergesenii** Weber-van Bosse

N'Yeurt (1993a, b, 1996), South et al. (1993)

**Coelothrix** Børgesen

**C. irregularis** (Harvey) Børgesen  
N'Yeurt (1993a, b, 1996)

**Erythrocolon** J. Agardh

**E. podagricum** J. Agardh

Chapman (1971), Kasahara (1985)

[According to Kasahara (1985) includes *Erythrocystis podagrifica* Harvey and *Chylocladia podagrifica* Harvey]

**Halichrysis** (J. Agardh) Schmitz in Schmitz et Hauptfleisch

**H. coalescens** (Farlow) R. E. Norris et A. J. K. Millar

*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 30 Nov., 1994, Suva Reef: USP 857]

[= *Herpophyllum coalescens* Farlow, see Norris (1991:583)]

**Rhodymenia** Greville

**R. divaricata** Dawson

N'Yeurt (1993a, b, 1996), South et al. (1993)

### Lomentariaceae

**Lomentaria** Lyngbye

**L. corallicola** Børgesen

*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 5 Aug., 1994, Suva Reef: USP S11:15]

### CERAMIALES

#### Ceramiaceae

**Anotrichum** Nägeli

**A. tenuie** (C. Agardh) Nägeli

[= *Griphthsia tenuis* C. Agardh in South and Kasahara (1992); see Garbary et al. (1991)]

**Ardreanema** Norris et Abbott

**A. seriospora** (Dawson) R. E. Norris

*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 26 Jul., 1994, Suva Reef: USP S11:3; S11:4]

[= *Ardreanema farifructa* Norris et Abbott; = *Ceramium seriosporum* Dawson; see Norris (1994: 154)]

**Balliella** Itono et Tanaka

B. subcorticata (Itono) Itono et Tanaka

*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 26 Jul., 1994, Suva Reef: USP 766, S10:18; S10:19]

[= *Antithamnion subcorticatum* Itono, see Itono & Tanaka (1973)]

**Centroceras** Kützing

C. apiculatum Yamada

Garbary et al. (1991), N'Yeurt (1993a, b, 1996)

C. clavulatum (C. Agardh) Montagne

[= *C. minutum* Yamada; see Ardré 1987]

Grunow (1874; as var. *hyalcanthum* Kützing), Chapman (1971), Garbary et al. (1991, as *C. minutum* Yamada), South (1991, as *C. minutum* Yamada), N'Yeurt (1993a, b, 1996)

**Ceramium** Roth

C. brevizonatum Peterson

Kapraun & Bowden (1978)

C. camouii Dawson

Garbary et al. (1991)

C. clarionense Setchell

Garbary et al. (1991)

C. codii (Richards) Mazoyer

N'Yeurt (1993a, b, 1996), South et al. (1993)

C. flaccidum (Harvey ex Kützing) Ardisson

[Includes *Ceramium masonii* Dawson in Kasahara (1985), South (1991), and South & Kasahara 1992; see Womersley (1978:234) and Silva et al. (1987:54)]

C. gracillimum (Kützing) Zanardini

South (1991)

var. *byssoideum* (Harvey) Feldmann-Mazoyer

Garbary et al. (1991)

C. huysmansii Weber-van Bosse

Garbary et al. (1991)

C. mazatlanense Dawson

Garbary et al. (1991), N'Yeurt (1993a, b, 1996), South et al. (1993)

C. punctiforme Setchell

*In Herb.* South Pacific Regional Herbarium, Suva [South, 20 Jan., 1992, Lau-cala Bay: USP 651, S8:6, S8:7]

C. serpens Setchell et Gardner

Garbary et al. (1991)

C. subverticillatum (Grunow) Weber-van Bosse

[= *Ceramium kützingianum* Grunow var. *subverticillata* Grunow; see Chapman (1971)] Grunow (1874), Chapman (1971)

- C.** vagans P. C. Silva  
 N'Yeurt (1993a, b, 1996)  
 [= *C. vagabundum* Dawson and *C. vagabunde* (sic) Dawson in Kapraun & Bowden (1978) and South & Kasahara (1992)]
- C. zacae** Setchell et Gardner  
 N'Yeurt (1993a, b, 1996), South et al. (1993); *In Herb. South Pacific Regional Herbarium, Suva [N'Yeurt, 3 Oct., 1992, Suva Point: USP S7:3]*
- Crouania** J. Agardh
- C. minutissima** Yamada  
 Garbary et al. (1991)
- Dasyphila** Sonder
- D. plumariooides** Yendo  
 South et al. (1994:189, fig. 6–8)
- Griffithsia** C. Agardh
- G. metcalfii** Tseng  
 Garbary et al. (1991)
- G. ovalis** Harvey  
 Garbary et al. (1991)
- G. subcylindrica** Okamura  
 N'Yeurt (1993a, b, 1996)
- Haloplegma** Montagne
- H. duperreyi** Montagne  
 Kasahara (1985), South (1991)
- Pterothamnion** Nägeli
- P. plumula** (Ellis) Nägeli  
 Garbary et al. (1991)
- Spermothamnion** Areschoug
- S. sp.**  
 Garbary et al. (1991)
- Spyridia** Harvey
- S. filamentosa** (Wulfen) Harvey  
 Chapman (1971)
- S. hypnoides** (Bory) Papenfuss  
 Kapraun & Bowden (1978)  
 [= *Spyridia aculeata* (Schimper) Kützing; see Kapraun & Bowden, 1978]
- Wrangelia** C. Agardh
- W. argus** (Montagne) Montagne  
 Kasahara (1985), Garbary et al. (1991), South (1991), N'Yeurt (1993a, b, 1996)

### Dasyaceae

- Dasya** C. Agardh
- D. sp.**  
 Garbary et al. (1991)
- Heterosiphonia** Montagne
- H. crispella** (C. Agardh) Wynne

[= *Heterosiphonia wurdemani* (Bailey) Falkenberg in South & Kasahara (1992) and Garbary et al. (1991). See Silva et al. (1987), South & Tittley (1986), and Wynne (1985)]

*var. laxa* (Børgesen) Wynne

N'Yeurt (1993a, b, 1996)

Garbary et al. (1991), South (1991)

*H. subsecunda* (Suhr) Falkenberg

Chapman (1971), N'Yeurt (1993a, b, 1996)

[= *Heterosiphonia callithamnion* Sonder and *Dasya callithamnion* (Sonder)

Harvey; see Chapman (1971)]

#### Delesseriaceae

**Caloglossa** (Harvey) J. Agardh

*C. adnata* (Zanardini) De Toni

Chapman (1971)

*C. leprieurii* (Montagne) J. Agardh

Kapraun and Bowden (1978)

*C. ogasawaraensis* Okamura

Chapman (1971)

*C. sp. 1* inedit

Raj (1993), South et al. (1993:189)

*C. sp. 2* inedit

Raj (1993), South et al. (1993:189)

**Hypoglossum** Kützing

*H. caloglossoides* Wynne et Kraft

N'Yeurt (1993a, b, 1996), South et al. (1993); *In Herb.* South Pacific Regional Herbarium, Suva [Keats, 12 May 1994, Suva Reef: USP S9:17]

*H. minimum* Yamada

Garbary et al. (1991)

**Martensia** Hering

*M. elegans* Hering

South (1991), N'Yeurt (1993a, b, 1996); *In Herb.* South Pacific Regional Herbarium, Suva [Carlson, 10 Dec., 1972, Suva Reef: USP 313]

**Myriogramme** Kylin

*M. sp.*

South et al. (1993:189, figs. 9–10)

**Taenioma** J. Agardh

*T. nanum* (Kützing) Papenfuss

*In Herb.* South Pacific Regional Herbarium, Suva [South, 6 May, 1993, Suva Reef: USP S8:19]

*T. perpusillum* (J. Agardh) J. Agardh

Garbary et al. (1991)

**Vancooorstia** Harvey

*V. coccinea* J. Agardh

Kasahara (1985), South (1991); *In Herb.* Bernice P. Bishop Museum, Hawaii [Abbott et al., 13th Jul., 1973, Savusavu ("Samusamu") Bay: BISH 623679] (as *V. spectabilis* Harvey; see note below).

[According to Kasahara (1985) = *Vanvoorstia spectabilis* (non Harvey) in Okamura, (1936)]

### Rhodomelaceae

#### **Acanthophora** Lamouroux

*A. pacifica* (Setchell) G. T. Kraft

In Herb. South Pacific Regional Herbarium, Suva [Kasahara, 15 Oct., 1985, Suva Reef: USP 875, 876; Keats, 23 Aug., 1994, Fish Patch: USP 790].

*A. spicifera* (Vahl) Børgesen

Grunow (1874), Chapman (1971); In Herb. Bernice P. Bishop Museum, Hawaii [*Anon*, 20th May, 1966, "Veiuto, Suva": BISH 525934]

[Includes *Acanthophora muscoides* Bory and *A. orientalis* J. Agardh; see Tsuda and Wray (1977)]

#### **Bostrychia** Montagne

*B. binderi* Harvey

Garbary et al. (1991)

*B. moritziana* (Sonder ex Kützing) J. Agardh

Chapman (1971)

*B. radicans* (Montagne) Montagne

Chapman (1971)

*B. simpliciuscula* Harvey ex J. Agardh

Raj (1993), South et al. (1993)

*B. tenella* (Lamouroux) J. Agardh

Kapraun & Bowden (1978), N'Yeurt (1993a, b, 1996); In Herb. Bernice P. Bishop Museum, Hawaii [*Doty*, 9 Jun., 1952, "Between Nadi and Suva": BISH 458108 + jar, 458113 + jar]

#### **Chondria** C. Agardh

*C. armata* (Kützing) Okamura

Garbary et al. (1991)

*C. dasypylla* (Woodward) C. Agardh

Garbary et al. (1991), N'Yeurt (1993a, b, 1996)

*C. minutula* Weber-van Bosse

Garbary et al. (1991)

*C. sedifolia* Harvey

N'Yeurt (1993a, b, 1996), South et al. (1993)

*C. simpliciuscula* Weber-van Bosse

N'Yeurt (1993a, b, 1996)

#### **Herposiphonia** Nägeli

*H. parca* Setchell

Hollenberg (1968b), South (1991)

*H. secunda* (C. Agardh) Ambronn

f. *tenella* (C. Agardh) Wynne

Garbary et al. (1991), South (1991), N'Yeurt (1993a, b, 1996)

[= *Herposiphonia tenella* (C. Agardh) Schmitz; see Silva et al. (1987)]

*H. subdisticha* Okamura

- Garbary et al. (1991)
- Laurencia** Lamouroux
- L. botryoides (Turner) Gaillard  
Chapman (1971)
- L. cartilaginea Yamada  
Garbary et al. (1991)
- L. columellaris Børgesen  
Kapraun & Bowden (1978)
- L. corymbosa J. Agardh  
Garbary et al. (1991)
- L. distichophylla J. Agardh  
Kapraun & Bowden (1978)
- L. intermedia Yamada  
Kapraun & Bowden (1978)
- L. obtusa (Hudson) Lamouroux  
*In Herb.* Bernice P. Bishop Museum, Hawaii [*Greenwood*, May, 1941,  
"Thuvu, near Singatoka": BISH 536205]  
var. gracilis Kützing  
Grunow (1874), Chapman (1971)
- var. racemosa Kützing  
Grunow (1874), Chapman (1971)
- L. panniculata (C. Agardh) Le Jolis  
*In Herb.* South Pacific Regional Herbarium, Suva [*Seeto*, 24 Dec., 1991, Nas-  
ese (Suva): USP 307]
- L. papillosa (C. Agardh) Greville  
var. thyrsoides Kützing  
Grunow (1874), Chapman (1971)
- L. parvipapillata Tseng  
Kasahara (1985)
- L. patentiramea (Montagne) Kützing  
Garbary et al. (1991)  
[= *Laurencia paniculata* (C. Agardh) J. Agardh in Garbary et al. (1991); see  
Silva et al., (1987)]
- L. venusta Yamada  
N'Yeurt (1993a, b, 1996), South et al. (1993)
- L. yamadana Howe  
Kasahara (1985)  
[= *Laurencia amabilis* Yamada et Segawa according to Kasahara (1985)]
- Leachiella** Kugrens
- L. sp.  
[Parasitic on *Polysiphonia scopulorum* Harvey; previously known only from  
western N. America; see Kugrens (1982) and Garbary et al. (1991)]
- Leveillea** Decaisne
- L. jungermannioides (Hering et Martens) Harvey  
Kasahara (1985), Garbary et al. (1991)

**Lophosiphonia** Falkenberg*L. cristata* Falkenberg

Hollenberg (1968c)

*L. reptabunda* (Suhr) Jaasund

Kapraun &amp; Bowden (1978)

**Melanamansia** R. E. Norris*M. glomerata* (C. Agardh) R. E. Norris[= *Amansia glomerata* C. Agardh, see Norris (1995:67)]All the following records as *Amansia glomerata* Lamouroux: Askenasy (1888), Chapman (1971), Kasahara (1985), South (1991), N'Yeurt (1993a, b, 1996); *In Herb.* Bernice P. Bishop Museum, Hawaii [Newhouse, n.d., "Viti Levu": BISH 512071; Abbott et al., 15th Jul., 1973, Korolevu: BISH 623676]**Murrayella** Schmitz*M. periclados* (C. Agardh) Schmitz

Kapraun &amp; Bowden (1978)

**Neurymenia** J. Agardh*N. fraxinifolia* (Mertens ex Turner) J. Agardh*In Herb.* South Pacific Regional Herbarium, Suva [Carlson, 1972, Suva Reef: USP 699; Keats, 18 May, 1994, Suva Reef: USP 714; 8 Oct, 1994: USP 816-818; 13 Oct., 1994: USP 819-822]**Polysiphonia** Greville*P. herpa* Hollenberg

Garbary et al. (1991)

*P. howei* Hollenberg

Garbary et al. (1991)

*P. mollis* J. Hooker et Harvey

Kapraun &amp; Bowden (1978)

var. *tongatensis* (Harvey ex Kützing) Hollenberg

Garbary et al. (1991)

[= *Polysiphonia tongatensis* Harvey ex Kützing]*P. scopulorum* Harvey

Kapraun &amp; Bowden (1978), South (1991)

var. *scopulorum* (Harvey) Hollenberg

N'Yeurt (1993a, b, 1996)

*P. setacea* Hollenberg

Hollenberg (1968a)

*P. sphaerocarpa* Børgesen

Kasahara (1985), Garbary et al. (1991)

[May include *Polysiphonia pulvinata* (Roth) J. Agardh *sensu* Segi (1951) according to Kasahara (1985)]*P. upolensis* (Grunow) Hollenberg

Hollenberg (1968a)

**Rhodolachne** Wynne*R. radicosa* Itono

Itono (1985b)

**Stictosiphonia** King et Puttock

S. kelanensis (Grunow ex Post) King et Puttock

Chapman (1971)

[= *Bostrychia kelanensis* Grunow ex Post in Chapman (1971); see King & Puttock (1989)]**Tolypiocladia** Schmitz

T. calodictyon (Harvey ex Kützing) P. C. Silva

Kapraun &amp; Bowden (1978)

T. glomerulata (C. Agardh) Schmitz

Garbary et al. (1991), South (1991)

## FAMILIA INCERTAE SEDIS

**Wurdemanniaceae**

[see Silva et al. (1987)]

**Wurdemannia** Harvey

W. miniata (Sprengel) J. Feldmann et Hamel

Kapraun &amp; Bowden (1978)

**Acknowledgements**

A. D. R. N'Yeurt gratefully acknowledges financial support from the University of the South Pacific (URC grant # 0713-9106) and from the International Centre for Ocean Development (ICOD; Canada). G. R. South thanks the Natural Sciences and Engineering Research Council (Canada), the International Centre for Ocean Development (Canada), the Canadian International Development Agency (CIDA), and the University of the South Pacific for support. D. W. Keats acknowledges Sabbatical support, Core, and University Development grants from the Foundation for Research Development (South Africa), as well as from the International Ocean Institute Operational Centre at the University of the South Pacific (IOI-South Pacific). Dr I. A. Abbott, University of Hawaii, and Mr. Jack Fisher, curator at the Herbarium of the Bernice P. Bishop Museum, Honolulu, Hawaii kindly made algal collections available for study, while Julie Oliveira assisted with collections at the University of British Columbia. Gunnu Pillai, School of Pure and Applied Sciences, University of the South Pacific provided the map of the Fiji Islands. Johnson Seeto, Fiu Manuela, John Faloon, Mark Knight and Anne Ballou are thanked for help with some collections.

**References**

- Abbott, I. A., Z. Junfu & X. Bangmei. 1991. *Gracilaria mixta*, sp. nov. and other Western Pacific species of the genus (Rhodophyta: Gracilariaeae) Pacific Science 45: 12-27.
- Ajisaka, T. & S. Enomoto. 1985. *Dictyota* Lamouroux (Dictyotales, Phaeophyceae) of the Fiji and Solomon Islands. Kagoshima University Research Center for the South Pacific. Occasional Papers No. 5: 35-41.
- Ardré, F. 1987. Observations sur quelques espèces du genre *Centroceras* (Ceramiaeae, Rhodophyta). Cryptogamie, Algologie, 8: 281-300.

- Askenasy, E. 1888. Algen: in Die Forschungsreise S.M.S. "Gazelle". . . . 4(2). Botanik 1–58, Pl. 1–12.
- Bird, C. J., J. P. Van Der Meer & J. McLachlan. 1982. A comment on *Gracilaria verrucosa* (Huds.) Papenf. (Rhodophyta: Gigartinales). Journal of the Marine Biological Association, U.K. 62: 453–459.
- Booth, W. E., R. K. Solly & C. P. Wright. 1983. Preliminary attempts to culture *Eucheuma striatum* Schmitz (Rhodophyta) in Fiji waters. Fiji Agricultural Journal 45(2), 55–63.
- Børgesen, F. 1913. The marine algae of the Danish West Indies. Part 1. Chlorophyceae. Dansk Botanisk Archiv 1: 1–160.
- Bornet, E. & C. Flahault. 1888. Revision des Nostocacées Hétérocystées. IV. Annales des Sciences Naturelles, Botanie 7: 177–262.
- Chapman, V. J. 1971. The marine algae of Fiji. Revue Algologique 2: 164–171.
- Chapman, V. J. 1977. Marine algae of Norfolk Island and the Cook Islands. Botanica Marina 20: 161–165.
- Dickie, G. 1876. Algae chiefly Polynesian: being contributions to the botany of H.M.S. "Challenger". Journal of the Linnean Society, Botany 15: 235–246.
- Ducker, S. C. 1967. The genus *Chlorodesmis* (Chlorophyta) in the Indo-Pacific region. Nova Hedwigia 13: 145–182, Pls. 25–43.
- Egerod, L. E. 1952. An analysis of the siphonous Chlorophycophyta with special reference to the Siphonocladales, Siphonales and Dasycladales of Hawaii. University of California Publications in Botany 25(5), 325–454.
- Eldredge, L. G. 1994. Seaweeds (*Eucheuma* and other species). In: Perspectives in Aquatic Exotic Species Management in the Pacific Islands. Volume I. Introductions of Commercially Significant Aquatic Organisms to the Pacific Islands. South Pacific Commission, Nouméa. pp. 105–109.
- Enomoto, S. & T. Ajisaka. 1983. Marine algae of Viti Levu, the Fiji Islands: Chlorophyceae (Preliminary report). Report 4, Oceanography and Biological Sciences, Prompt Report of 2nd Scientific Survey of South Pacific. Kagoshima University: South Pacific Regional Herbarium: 14–17.
- Foscarini, R. & J. Prakash. 1990. Handbook of *Eucheuma* Seaweed Cultivation in Fiji. Ministry of Primary Industries, Fisheries Division and FAO South Pacific Aquaculture Development Project, Suva. 42 pp.
- Fredericq, S. & J. N. Norris. 1995. A new order (Rhodogorgonales) and family (Rhodogorgonaceae) of red algae composed of two tropical calciferous genera, *Renouxia* gen. nov. and *Rhodogorgia*. Cryptogamic Botany 5: 316–331.
- Garbary, D. J., J. C. Oliveira, R. F. Scagel & S. Villeneuve. 1991. Notes and distribution records for the marine algae of Fiji. Micronesica 24: 249–260.
- Grunow, A. 1874. Algen der Fidschi-, Tonga- und Samoa-Inseln, gesammelt von Dr. E. Graeffe. Erste Folge: Phaeosporeae, Fucoideae und Florideae. Journal Museum Godeffrey VI(1): 23–50.
- Guiry, M. D. 1978. Notes on some family names of Florideophyceae (Rhodophyta). Taxon 27: 191–195.
- Hollenberg, J. G. 1968a. An account of the species of *Polysiphonia* of the central and western tropical Pacific Ocean. I. *Oligosiphonia*. Pacific Science 22: 56–98.

- Hollenberg, G. J. 1968b. An account of the species of the red algae *Herposiphonia* occurring in the central and western tropical Pacific Ocean. *Pacific Science* 22: 536-559.
- Hollenberg, J. G. 1968c. Phycological notes III. New records of marine algae from the central tropical Pacific Ocean. *Brittonia* 20: 74-82.
- Huisman, J. M. & M. A. Borowitzka. 1990. A revision of the Australian species of *Galaxaura* (Rhodophyta, Galaxauraceae), with a description of *Tricleocarpa* gen. nov. *Phycologia* 29: 150-172.
- Huisman, J. M. & R. A. Townsend. 1993. An examination of Linnaean and pre Linnaean taxa referable to *Galaxaura* and *Tricleocarpa* (Galaxauraceae, Thodophyta). *Botanical Journal of the Linnean Society* 113: 95-101.
- Itono, H. 1985a. Some noteworthy species of *Galaxaura* (Chaetangiaceae, Rhodophyta) from Fiji. *Kagoshima University Research Center for the South Pacific, Occasional Papers* No. 5: 43-51.
- Itono, H. 1985b. *Rhodolachne radicosa*, a new species of red alga (Rhodophyceae, Ceramiales) from Fiji and southern parts of Japan. *Kagoshima University Research Center South Pacific Occasional Papers* 5: 53-64.
- Itono, H. & T. Ajisaka. 1984. Taxonomic study of the marine algae from Fiji. *Prompt Rep. 1st Scientific Survey of the South Pacific. Rept. 4, Marine Science and Fisheries. Research Center for the South Pacific, Kagoshima University: Institute of Marine Resources, Univ. S. Pacific*: 84-85.
- Itono, H. & T. Tanaka. 1973. *Balliella*, a New Genus of Ceramiaceae (Rhodophyta). *Botanical Magazine, Tokyo* 86: 241-252.
- Jones, R. & G. T. Kraft. 1984. The genus *Codium* (Codiales, Chlorophyta) at Lord Howe Island (N.S.W.). *Brunonia* 7: 253-276.
- Kapraun, D. F. & W. A. Bowden. 1978. Additions to the benthic marine algal flora of Fiji. *Micronesica* 14: 199-207.
- Kasahara, H. 1985. Marine green and red algae collected at Viti Levu and Ndruvuni Islands of Fiji. *M.Sc. Thesis, Kagoshima University*. 83 pp.
- Kasahara, H. 1988. [In Japanese: Description and illustrations of marine Chlorophyceae collected at Viti Levu, Suva, Makuluva and Ovalau, Fiji]. Mimeo graphed.
- King, R. J. & C. F. Puttock. 1989. Morphology and taxonomy of *Bostrychia* and *Stictosiphonia* (Rhodomelaceae/Rhodophyta). *Australian Systematic Botany* 2: 1-73.
- Kraft, G. T. 1984. Taxonomic and morphological studies of tropical and subtropical species of *Callophycus* (Solieriaceae, Rhodophyta). *Phycologia* 23(1): 53-71.
- Kraft, G. T. 1986. The green algal genera *Rhipiliopsis* A. and E. S. Gepp and *Rhipiliella* gen. nov. (Udoteaceae, Bryopsidales) in Australia and the Philippines. *Phycologia* 25: 47-72.
- Kugrens, P. 1982. *Leachiella pacifica* gen. et sp. nov., a new parasitic red alga from Washington and California. *American Journal of Botany* 69: 306-319.
- Littler, D. S. & M. M. Littler. 1990. Reestablishment of the green algal genus *Rhipidosiphon* Montagne (Udoteaceae, Bryopsidales) with a description of *Rhipidosiphon floridensis* sp. nov. *British Phycological Journal* 25: 33-38.

- Luxton, D. M., M. Robertson & M. J. Kindley 1987. Farming of *Eucheuma* in the South Pacific islands of Fiji. *Hydrobiologia* 151/152: 359–362.
- MacRaild, G. N. 1978. Marine algae of the Cook and Fiji Islands. In, Proceedings of the International Symposium on Marine Biogeography and Evolution in the Southern Hemisphere. Auckland, New Zealand, 17–20 July, 1978. NZ DSIR Information Series 137. 455–464.
- Morton, J. 1990. The Shore Ecology of the Tropical Pacific. UNESCO, Jakarta. v + 282 + vii pp.
- Norris, R. E. 1991. Some unusual marine red algae (Rhodophyta) from South Africa. *Phycologia* 30(6): 582–596.
- Norris, R. E. 1994. Notes on some Hawaiian Ceramiaceae (Rhodophyceae) including two new species. *Japanese Journal of Phycology* 42: 149–155.
- Norris, R. E. 1995. *Melanamansia glomerata*, comb. nov., and *Amansia rhodantha*, two hitherto confused species of Indo-Pacific Rhodophyceae. *Taxon* 44: 65–68.
- N'Yeurt, A. D. R. 1993a. A Floristic Survey of the Intertidal and Shallow Benthic Marine Algae of Rotuma. MSc Thesis, University of the South Pacific. 270 pp.
- N'Yeurt, A. D. R. 1993b. A Preliminary Checklist of the Marine Benthic Algae of Rotuma. University of the South Pacific Marine Studies Program Technical Report Series 93/2. 14pp.
- N'Yeurt, A. D. R. 1995. *Meristotheca procumbens* P. Gabrielson et Kraft (Gigartinales, Solieriaceae): An edible seaweed from Rotuma Island. *South Pacific Journal of Natural Science* 14: 242–250.
- N'Yeurt, A. D. R. 1996. A preliminary floristic survey of the intertidal and shallow-subtidal benthic marine algae of Rotuma Island. *Australian Systematic Botany* 9(1) [in press].
- N'Yeurt, A. D. R., D. S. Littler & M. M. Littler. 1996. *Avrainvillea rotumensis* sp. nov. (Bryopsidales, Chlorophyta), a peltate species from the South Pacific. *Phycological Research* 44(2) [in press].
- N'Yeurt, A. D. R., D. W. Keats & R. E. Norris. 1995. *Phacelocarpus neurymenoides* sp. nov. (Rhodophyta, Phacelocarpaceae): A new species of Gigartinalean alga from Fiji, South Pacific. *Botanica Marina* 38: 339–346.
- Okamura, K. 1936. Nippon Kaiso-shi. (Description of Japanese algae). 964 pp. Tokyo [In Japanese].
- Olsen, J. L. & J. A. West. 1988. *Ventricaria* (Siphonocladales—Cladophorales complex, Chlorophyta), a new genus for *Valonia ventricosa*. *Phycologia* 26: 103–108.
- Papenfuss, G. F. 1956. Notes on South African Marine algae, IV. *Journal of South African Botany* 22, 65–77.
- Papenfuss, G. F., K. E. Mshigeni & Y. M. Chiang. 1982. Revision of the red algal genus *Galaxaura* with specific reference to the species occurring in the western Indian Ocean. *Botanica Marina* 25: 401–444.
- Penrose, D. & Y. M. Chamberlain. 1993. *Hydrolithon farinosum* (Lamouroux) comb. nov.: implications for generic concepts in the Mastophoroideae (Corallinaceae, Rhodophyta). *Phycologia* 32(4): 295–30.

- Penrose, D. & Wm. J. Woelkerling. 1992. A reappraisal of *Hydrolithon* and its relationship to *Spongites* (Corallinaceae, Rhodophyta). *Phycologia* 31(1): 81–88.
- Prakash, J. 1990. Fiji. In: Adams, T. & R. Foscarini. (eds). Proceedings of the regional workshop on seaweed culture and marketing. FAO South Pacific Aquaculture Development Project. iv + 86 p.
- Prud'homme van Reine, W. F. & G. M. Lokhorst. 1992. *Caulerpella* gen. nov. a non-holocarpic member of the Caulerpales (Chlorophyta). *Nova Hedwigia* 54(1–2), 113–126.
- Raj, R. A. 1993. A Floristic Study of Mangrove-associated Algae in Fiji. M.Sc. Thesis, University of the South Pacific, Suva. 105 pp. + Appendix.
- Ram, V. 1991. Seaweed Farming in Fiji. University of the South Pacific Marine Studies Programme, Technical Report 1991(2).
- Saunders, G. W. & G. T. Kraft. 1994. Small-subunit rRNA gene sequences from representatives of selected families of the Gigartinales and Rhodymeniales (Rhodophyta). 1. Evidence for the Plocamiales ord.nov. *Canadian Journal of Botany* 72: 1250–1263.
- Schnetter, R. & Bula-Meyer, G. 1982. Marine Algen der Pazifikküste von Kolombien: Chlorophyceae. *Bibliotheca Phycologia* 60: xvii + 287 pp., 37 pls. 1 fig.
- Segi, T. 1951. Systematic study of the genus *Polysiphonia* from Japan and its vicinity. *Journal of the Faculty of Fisheries, Prefectural University, Mie* 1(2): 169–272.
- Setchell, W. A. 1924. American Samoa, Part I: Vegetation of Tutuila Island. Carnegie Institution of Washington, Publications, 341: 1–188, pls 18–20, 36–37.
- Silva, P. C. 1952. A review of nomenclatural conservation in the algae. *University of California Berkeley Publications in Botany* 25: 241–324.
- Silva, P. C., E. G. Meñez & R. L. Moe. 1987. Catalog of the benthic marine algae of the Philippines. *Smithsonian Contributions in Marine Sciences* 27: iv + 179 pp.
- Singh, A., W. Booth, U. Raj, W. H. Zucker & S. A. Nielsen. 1975. Investigation of marine plants. School of Natural Resources, South Pacific Regional Herbarium (mimeographed).
- South, G. R. 1991. Benthic marine algae from Dravuni Island, Astrolabe Islands, Kadavu, Fiji. University of the South Pacific Marine Studies Programme Technical Report 1991(5): 13pp.
- South, G. R. 1992. Contributions to a Catalogue of the Marine Algae of Fiji. 1. *Halimeda* (Chlorophyceae). University of the South Pacific Marine Studies Programme Technical Report 1992(2): 19pp.
- South, G. R. 1993. Edible seaweeds of Fiji: an ethnobotanical study. *Botanica Marina* 36: 335–349.
- South, G. R. 1995. *Gracilaria maramae* sp. nov. (Gracilariales, Gracilariales, Rhodophyta), an economically important species from the Fiji Islands, South Pacific In, I. A. Abbott (ed.) *Taxonomy of Economic Seaweeds with Reference to Some Pacific Species*. Volume 3, pp. 177–184. California Sea Grant College System, La Jolla.

- South, G. R. & I. Tittley. 1986. A checklist and distributional index of the benthic marine algae of the North Atlantic Ocean. Huntsman Marine Laboratory and the British Museum (Natural History). 76 pp.
- South, G. R. & H. Kasahara. 1992. A preliminary checklist of the benthic marine algae of the Fiji Islands, South Pacific. *Micronesica* 25(1): 41–70.
- South, G. R. & A. D. R. N'Yeurt. 1993. Contributions to a catalogue of benthic marine algae of Fiji. II. *Caulerpa* and *Caulerpella* (Chlorophyta—Caulerpales). *Micronesica* 26: 107–136.
- South, G. R., A. D. R. N'Yeurt & R. A. Raj-Prasad. 1993. Additions and amendments to the benthic marine algal flora of Fiji, including the island of Rotuma. *Micronesica* 26: 175–196.
- Tsuda, R. T. 1981. Bibliography of marine benthic algae of Micronesia: addendum. *Micronesica* 17: 213–218.
- Tsuda, R. T. & F. O. Wray. 1977. Bibliography of marine benthic algae in Micronesia. *Micronesica* 13: 85–120.
- Umezaki, I. 1961. The Marine Blue-Green Algae of Japan. Memoirs of the College of agriculture, Kyoto University 83(8), 149 pp.
- Weber-van Bosse, A. 1898. Monographie des Caulerpes. *Annales du Jardin Botanique de Buitenzorg* 15: 243–401, pls XX–XXXIV.
- Womersley, H. B. S. 1978. Southern Australian species of *Ceramium* Roth (Rhodophyta). *Australian Journal of Marine and Freshwater Research* 29: 205–25.
- Womersley, H. B. S. & A. Bailey. 1970. Marine algae of the Solomon Islands. *Philosophical Transactions of Royal Society of London, B. Biological Series* 259: 257–352.
- Wynne, M. J. 1985. Concerning the names *Scagelia corallina* and *Heterosiphonia wurdemanni* (Ceramiales, Rhodophyta). *Cryptogamie: Algologie* 6: 81–90.

Received 31 Oct. 1995.

### Index to Genera

Acanthophora.....	85
Acetabularia.....	66
Acrochaete.....	68
Actinotrichia.....	71
Amphiroa.....	75
Anabaena.....	56
Anotrichum.....	81
Aphanocapsa.....	55
Ardreanema.....	81–82
Arthrocardia.....	75–76
Asparagopsis.....	71
Audouinella.....	71
Avrainvillea.....	65

Balliella.....	82
Bangiopsis.....	70-71
Boodlea.....	60
Boergesenia.....	60
Bornetella.....	66
Bostrychia.....	85
Botryocladia.....	81
Brachytrichia.....	58
Bryopsis.....	61
Callophyicus.....	80
Caloglossa.....	84
Calothrix.....	57
Carpopeltis.....	74
Caulerpa.....	61-63
Caulerpella.....	63
Centroceras.....	82
Ceramium.....	82-83
Chaetomorpha.....	59
Chamaesiphon.....	55
Champia.....	80-81
Cheilosporum.....	76
Chlorodesmis.....	65
Chnoospora.....	69
Chondria.....	85
Cladophora.....	59
Cladophoropsis.....	60
Codium.....	63
Coelarthurm.....	81
Coelothrix.....	81
Colpomenia.....	69
Corynocystis.....	74
Crouania.....	83
Cutleria.....	67
Cystoseira.....	70
Dasya.....	83
Dasyphila.....	83
Dermatolithon.....	77
Dermocarpa.....	55
Dictyopteris.....	68
Dictyosphaeria.....	60
Dictyotopsis.....	69
Dictyota.....	68
Dilophus.....	68
Dudresnaya.....	97
Ectocarpus.....	67

Enteromorpha.....	58
Entophysalis.....	55
Ernodesmis.....	60
Erythrocolon.....	81
Erythrotrichia.....	70
Eucheuma.....	80
Feldmannia.....	67
Fremyella.....	57
Galaxaura.....	71–72
Gelidiella.....	73
Gelidiopsis.....	78
Gelidium.....	73
Gibsmithia.....	78
Gomphosphaeria.....	55
Goniotrichopsis.....	70
Gracilaria.....	78–79
Grateloupia.....	74
Griffithsia.....	83
Halichrysis.....	81
Halimeda.....	63–65
Haloplegma.....	83
Halymenia.....	74
Herposiphonia.....	85–86
Heteroderma.....	77
Heterosiphonia.....	83–84
Hildenbrandia.....	75
Hinckssia.....	67
Homoeothrix.....	57
Hormothamnium.....	56
Hydroclathrus.....	69
Hydrolithon.....	76, 77
Hypnea.....	79
Hypoglossum.....	84
Jania.....	76
Kyrtuthrix.....	57
Laurencia.....	86
Leachiella.....	86
Leveillea.....	86
Liagora.....	73–74
Lithophyllum.....	77
Lithothamnion.....	76, 77
Lobophora.....	68
Lomentaria.....	81
Lophosiphonia.....	87
Lyngbya.....	56

Martensia.....	84
Melanamansia.....	87
Meristotheca.....	80
Mesophyllum.....	76-77
Microchaete.....	57
Microcoleus.....	56
Microdictyon.....	59
Monostroma.....	59
Murrayella.....	87
Myriogramme.....	84
Neogoniolithon.....	76
Neomeris.....	67
Neurymenia.....	87
Oncobyrsa.....	55
Oscillatoria.....	56
Padina.....	69
Peyssonnelia.....	75
Phaeolocarpus.....	79
Phaeophila.....	58
Phormidium.....	56
Plectonema.....	57
Pleurocapsa.....	55
Plocamium.....	80
Polypyspha.....	66
Polysiphonia.....	87
Portieria.....	77-78
Predaea.....	79
Prionitis.....	74-75
Pseudochlorodesmis.....	65
Pterocladia.....	73
Pterothamnion.....	83
Ralfsia.....	67
Rhipidosiphon.....	65
Rhipilia.....	65-66
Rhipiliella.....	66
Rhipiliopsis.....	65
Rhizoclonium.....	59
Rhodogorgon.....	98
Rhodolachne.....	87
Rhodymenia.....	81
Rosenvingea.....	69
Sargassum.....	69-70
Schizothrix.....	56
Scinaia.....	72-73
Scytonema.....	57

Sebdenia.....	97
Siphononema.....	55
Solieria.....	80
Spermothamnion.....	83
Sphacelaria.....	67-68
Spirulina.....	56
Sporolithon.....	75
Spyridia.....	83
Stictosiphonia.....	88
Streblonema.....	67
Struvea.....	60
Stylonema.....	71
Symploca.....	57
Taenioma.....	84
Titanophora.....	79
Tolypiocladia.....	88
Tolypothrix.....	57
Trichogloea.....	74
Tricleocarpa.....	73
Turbinaria.....	70
Tydemania.....	66
Udotea.....	66
Ulva.....	58
Valonia.....	60
Valoniopsis.....	61
Vanvoorstia.....	84-85
Ventricaria.....	61
Wrangelia.....	83
Wurdemannia.....	88
Yamadaella.....	74

### Addendum

#### RHODOPHTYA GIGARTINALES

##### Dumontiaceae

**Dudresnaya** Crouan et Crouan

D. hawaiiensis R.K.S. Lee

*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 7 Sep., 1994, Great Astrolabe Reef, Kadavu: USP 912]

##### Sebdeniaceae

**Sebdenia** (J. Agardh) Berthold

S. yamadae Okamura et Segawa

*In Herb.* South Pacific Regional Herbarium, Suva [Keats, 1 Dec. 1994, Suva Reef: USP 913]

RHODOGORGONALES  
(See Fredericq and Norris, 1995)

Rhodogorgonaceae

**Rhodogorgon** J. Norris et Bucher

**R. ramosissima** J. Norris et Bucher

*In Herb. South Pacific Regional Herbarium, Suva [Carlson, 19 Dec., 1995,  
Beqa Reef: USP 911].*