

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/248819273>

U.S. nitrogen science plan focuses collaborative efforts

Article in *Eos Transactions American Geophysical Union* · July 2005

DOI: 10.1029/2005EO270001

CITATIONS

15

READS

72

7 authors, including:



Elisabeth A. Holland

University of the South Pacific

153 PUBLICATIONS 24,785 CITATIONS

[SEE PROFILE](#)



Alex B. Guenther

University of California, Irvine

710 PUBLICATIONS 59,585 CITATIONS

[SEE PROFILE](#)



Julia Lee-Taylor

National Agricultural Research Center - NARC

79 PUBLICATIONS 3,651 CITATIONS

[SEE PROFILE](#)



Paul B Shepson

Purdue University

423 PUBLICATIONS 19,043 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Snow Chemistry [View project](#)



Tree species variation in root phenolic compounds and rhizosphere biogeochemistry [View project](#)

U.S. Nitrogen Science Plan Focuses Collaborative Efforts

PAGES 253, 256

Nitrogen is a major nutrient in terrestrial ecosystems and an important catalyst in tropospheric photochemistry. Over the last century, human activities have dramatically increased inputs of reactive nitrogen (N_r , the combination of oxidized, reduced, and organically bound nitrogen) to the Earth system (Figure 1). Nitrogen cycle perturbations have compromised air quality and human health, acidified ecosystems, and degraded and eutrophied lakes and coastal estuaries [Vitousek *et al.*, 1997a, 1997b; Rabalais, 2002; Howarth *et al.*, 2003; Townsend *et al.*, 2003; Galloway *et al.*, 2004].

Increased N_r affects global climate. Use of agricultural fertilizers such as ammonium nitrate leads to increased soil production of nitrous oxide (N_2O), which has 320 times the global warming potential of carbon dioxide (CO_2). Emission of nitrogen oxides (NO_x = nitric oxide, NO + nitrogen dioxide, NO_2) from fossil fuel burning leads to increases in tropospheric ozone, another greenhouse gas. Ozone is phytotoxic, and may reduce terrestrial CO_2 sequestration. To predict the effects of nitrogen cycling changes under changing climatic conditions, there needs to be a better understanding of the global nitrogen budget.

Nitrogen cycling occurs across atmospheric, terrestrial, and aquatic interfaces (Figure 2). Many important interactions are poorly quantified, particularly those between the atmosphere and the terrestrial biosphere. Gaseous biogenic nitrogen species undergo atmospheric chemical reactions and transport, sometimes far from source regions. In turn, atmospheric nitrogen species are deposited to, and processed within, terrestrial ecosystems, with important consequences.

Understanding the closely coupled interactions involved in nitrogen cycling requires both a multidisciplinary and interdisciplinary approach. A plan for integrating atmospheric-terrestrial nitrogen science in the U.S. was envisioned at a workshop hosted by the National

Center for Atmospheric Research (NCAR) in Boulder, Colorado, in November 2003, involving 43 scientists from 31 universities or institutes. Terrestrial, atmospheric, and aquatic disciplines within the nitrogen cycling scientific community were all represented.

During the following year, the ideas explored in the workshop were developed into a November 2004 document titled "A U.S. Nitrogen Science Plan: Atmospheric-Terrestrial Exchange of Reactive Nitrogen." The science plan and a full list of workshop participants is available online at <http://www.essl.ucar.edu/times/nsp/nsp.html>.

The science plan outlines an interdisciplinary approach to the study of nitrogen-relevant atmosphere-terrestrial biosphere interactions, as part of a holistic understanding of regional and global nitrogen cycles. The plan's focus on the atmosphere complements existing efforts (listed in Table 1) which deal with nitrogen science from agricultural, human health, ecological, or aquatic system perspectives. The integration of atmospheric and terrestrial aspects responds to the needs of the International Nitrogen Initiative, an effort to understand the science behind, and the impacts of, global and regional nitrogen cycling.

Science Questions

The science plan identifies gaps in knowledge about nitrogen cycling that may be summarized as two science questions: How do human-induced perturbations to the global nitrogen cycle influence the speciation of nitrogen and carbon in the atmosphere and their fate in terrestrial ecosystems? What are the resulting Earth system feedbacks?

Biological processes important to atmospheric-terrestrial nitrogen cycling include emissions of reactive compounds, assimilation of N_r , and nitrogen impacts on ecosystem productivity. Emissions of nitrogen trace gases (N_2 , N_2O , NO , and NH_3) vary both spatially and temporally, depending upon climate conditions and atmospheric composition. Emissions are also influenced by plant and microbial physiology, by complex terrain, and by processes within plant canopies that determine the chemical partitioning of carbon and N_r . Uptake of N_r by plant canopies depends upon growing conditions which affect leaf-scale mechanisms, and upon local plant species composition.

Atmospheric processes important to atmospheric-terrestrial nitrogen cycling involve chemical transformation and transport of reactive nitrogen. NO_x oxidation product partitioning and fates vary with atmospheric conditions. The biosphere emits a wide variety of oxygenated and higher-molecular-weight reactive volatile organic compounds (VOCs) that react with N_r . Reaction products include mul-




Fig. 1. (a) Changes in fluxes of reactive, or biologically available, N. (b) The simultaneous increase in atmospheric N_2O concentrations, and increased manure production as a result of reactive N generation in Figure 1a. The Haber-Bosch process for the creation of fertilizer from N_2 was invented in 1913. For data sources, see <http://www-eosdis.ornl.gov/>.




Fig. 2. Nitrogen cycling between reservoirs occurs at local, regional, and global scales. After Brasseur et al. [1999].

tifunctional organic nitrates that react further, are incorporated into atmospheric organic aerosols, or undergo transport and deposition. Knowledge of the fate of atmospheric nitrogen depends on improvements in measurement capabilities.

To address these issues, the science plan recommends focused laboratory, field, and model studies, and multipronged studies covering a range of spatial and temporal scales. Gas phase and heterogeneous reaction studies should be performed under realistic conditions to determine reaction mechanisms for oxygenated and higher-molecular-weight biogenic VOCs and to identify oxidation products. New algorithms for emission and uptake should be developed using enclosure measurement systems. Aircraft flux measurements are necessary to evaluate extrapolations of emissions to regional scales in coupled atmosphere-biosphere models, and to characterize emission responses to land use and climate changes.

The science plan recommends linking observations of nitrogen cycling with other biogeochemical cycles, especially carbon. Tower-based measurements of simultaneous vertical nitrogen and carbon fluxes are needed in representative ecosystems. Ongoing field programs can be augmented to obtain comprehensive suites of observations, including surface fluxes and concentration gradients of key reactants, intermediates, and products.

Interactions

Key questions regarding aquatic interactions of nitrogen are: What are the hydrological,

biological, and geochemical controls on landscape sinks of nitrogen, including groundwater and denitrification, and how do externally imposed changes affect water and nutrient cycles and their interactions with the carbon cycle? The science plan recommends continuation of existing long-term measurements of streamflow, water quality, atmospheric, and meteorological data, and implementation of international data-sharing protocols. Coordinated event-based sampling should be expanded to include rain events of varying duration and intensity, and carbon and nitrogen measurements should be extended to include organic and inorganic species. The observations must complement the development and testing of models that integrate atmospheric, terrestrial, and hydrologic processes.

Key questions regarding atmospheric interactions with belowground ecosystem nitrogen cycling are: How are plant and microbial communities influenced by natural environmental factors and nitrogen deposition, and what happens when several controlling factors change simultaneously? The most pressing research need is to generate baseline data on plant and microbial community composition, and on spatial and temporal variability in nitrogen cycling processes. The science plan recommends quantification of plant, microbial, and fungal community composition in relatively clean systems, in areas with increased nitrogen deposition and throughput, and at existing carbon study sites.

The cycles of nitrogen, carbon, and other key nutrients are inextricably linked. Their interactions are likely to provoke key nonlinearities in the evolving Earth system. It is therefore essen-

tial that the scientific efforts already devoted to the carbon and water cycles are complemented by the comprehensive and integrated study of the nitrogen cycle.

Request for Community Input

The recommendations presented in the U.S. Nitrogen Science Plan are intended to help focus collaborative efforts. The target audience encompasses the scientific community: researchers, funding agencies, and large-scale programs such as the U.S. National Science Foundation's National Ecological Observatory Network (NEON). The science plan writers welcome updates as the science community's needs and understanding evolve. Input for the next version may be sent to Elisabeth Holland (eholland@ucar.edu) and should be received by 5 September 2005.

Acknowledgments

The authors thank the attendees at the Nitrogen Science Planning Workshop in Boulder, Colorado. The workshop and science plan were funded by the Atmospheric Chemistry Division and the Biogeosciences Initiative, both at the National Center for Atmospheric Research (NCAR), and by the U.S. NSF Biocomplexity Program; NCAR is operated by the University Corporation for Atmospheric Research and sponsored by NSF.

References

- Brasseur, G. P., J. J. Orlando, and G. S. Tyndall (Eds.) (1999), *Atmospheric Chemistry and Global Change*, 654 pp., Oxford Univ. Press, New York.

Table 1. Summary of Ongoing and Recently Completed Efforts Related to the Nitrogen Cycle

<i>Program</i>	<i>Details, Dates</i>	<i>Focus</i>	<i>Web Links</i>
<i>Atmospheric Sciences:</i>			
U.S. NAS ¹ Commission on Geosciences, Environment and Resources	Report, 1998	Atmospheric science research needs, including N cycle studies.	http://www.nap.edu/books/0309064155/html
<i>Nitrogen Cycle, International Efforts:</i>			
ICSU ² SCOPE ³ Project on Nitrogen Transport and Transformations	1994–2002; 13 workshops; 250 scientists from >20 countries	Synthesis of existing knowledge of human-caused changes in regional-scale N fluxes.	http://gaim.unh.edu/Structure/Future/fasttrack/nitrogen.htm
First International Nitrogen Conference	1998; Netherlands	Effects of increased N cycling: European focus.	http://www.esa.org/n2001/conference.html#firstconference
N2001: 2nd International Nitrogen Conference	2001; 400 scientists from 30 countries	Optimizing N management in food and energy production and environmental protection.	http://www.esa.org/n2001/index.html
International Nitrogen Initiative: SCOPE ³ /IGBP ⁴	Established 2003; 5 regional centers	Human impacts on N cycle: health and ecosystem effects.	http://initrogen.org
N2004: 3rd International Nitrogen Conference	2004; Nanjing, China	Impacts of population growth and economic development on N cycle.	http://www.issas.ac.cn/n2004/
<i>Nitrogen Cycle, U.S. Efforts:</i>			
NSTC ⁵ Committee on Environment and Natural Resources	Report, 1999	Sources of N to the Gulf of Mexico and resulting hypoxia.	http://www.nos.noaa.gov/products/pubs_hypox.html
NAS ¹ Committee on Causes and Management of Coastal Eutrophication	Report, 2000	Eutrophication of coastal waters, the causes and consequences.	http://www.nap.edu/books/0309069483/html/
NOAA ⁶ National Centers for Coastal Ocean Science	Science Plan, 2003	Nutrient pollution in U.S. coastal waters.	http://www.nccos.noaa.gov/documents/nutrientpollution.pdf
<i>Related Biogeochemical Cycles:</i>			
Water Cycle Study Group, USGCRP ⁷	Science Plan, 2001	H ₂ O, C, and N cycles at terrestrial-aquatic and plant-atmosphere interfaces.	http://www.usgcrp.gov/usgcrp/Library/watercycle/wcsgreport2001/default.htm
Carbon and Climate Working Group, USGCRP ⁷	Science Plan, 1999	Regional CO ₂ cycle and carbon management.	http://www.carboncyclescience.gov/PDF/sciplan/ccsp.pdf
North American Carbon Program, USGCRP ⁷	Science Plan, 2001	CO ₂ , CH ₄ , and CO cycling: North America and oceans.	http://www.wisse.ucar.edu/nacp/
U.S. Climate Change Science Program	Strategic Plan, 2003	U.S. research on climate and global change.	http://www.climatechange.gov/Library/stratplan2003
¹ NAS: National Academy of Sciences; ² ICSU: International Council for Science; ³ SCOPE: Scientific Committee on Problems of the Environment; ⁴ IGBP: International Geosphere-Biosphere Programme; ⁵ NSTC: National Science and Technology Council; ⁶ NOAA: National Oceanic and Aeronautic Administration; ⁷ USGCRP: U.S. Global Change Research Program			

Galloway, J. N., et al. (2004), nitrogen cycles: Past, present, and future, *Biogeochemistry*, 70(2), 153–226, doi:10.1007/s10533-004-0370-0.

Howarth, R., R. Marino, and D. Scavia (2003), Priority topics for nutrient pollution in coastal waters: An integrated national research program for the United States, pp. 1–24, NOAA Natl. Ocean Serv., Silver Spring, Md.

Rabalais, N. N. (2002), Nitrogen in aquatic ecosystems, *Ambio*, 31(2), 102–112.

Townsend, A. R., R. W. Howarth, M. S. Booth, C. C. Cleveland, S. K. Collinge, A. P. Dobson, P. R. Epstein, E. A. Holland, D. R. Keeny, and M. A. Malin (2003), Human health effects of a changing global nitrogen cycle, *Frontiers Ecol.*, 1(5), 240–246.

Vitousek, P. M., J. D. Aber, R. W. Howarth, G. E. Likens, P. A. Matson, D. W. Schindler, W. H. Schlesinger, and D. Tilman (1997a), Human alteration of the global nitrogen cycle: Sources and consequences, *Ecol. Appl.*, 7, 737–750.

Vitousek, P. M., H. A. Mooney, J. Lubchenco, and J. M. Melillo (1997b), Human domination of Earth's ecosystems, *Science*, 275(277), 494–499.

Author Information

E. A. Holland, A. Guenther, and J. Lee-Taylor, National Center for Atmospheric Research, Boulder, Colo.; S. B. Bertman, Western Michigan University, Kalamazoo; M. A. Carroll, University of Michigan, Ann Arbor; P. B.

Shepson, Purdue University, West Lafayette, Indiana; and J. P. Sparks, Cornell University, Ithaca, N.Y.

For more information or a printed version of the science plan, contact E. Holland; E-mail: eholland@ucar.edu. The science plan may be downloaded at http://www.essl.ucar.edu/times/nsp/NSciPlan_Nov2004.pdf.